



TRUST
equestrian






INDEX



Trust Equestrian	4
Sweet Iron	7
Inno Sense	10
Leather	13
Product range	14
Bestsellers	15
Eggbut	16
Loose Ring	18
Dee	20
Full Cheek	22
2,5 Eggbut	24
2,5 Ring	26
3 Ring	28
Pelham	30
Baby Pelham	32
Hackamore Combi Short	34
Hackamore Combi Long	36
Weymouth Fixed	38
Baby Weymouth Fixed	39
Weymouth Non-Fixed	40
Baby Weymouth Non-Fixed	41
Eggbut bradoon	42
Loose Ring bradoon	44
Eggbut Gag	46
Loose Ring Gag	48
Full Cheek Gag	50
Curbgag	52
Baucher Bit	54
Kimblewick	56
Kimblehook	58
Beval	60
Swivel	62
Loose Ring Large	64
Swales	66
Baby Swales	67
Liverpool Menbit 2 Slot Non-Fixed	68
Liverpool Menbit 2 Slot Fixed	70
Liverpool Menbit 3 Slot Fixed	71
Liverpool Menbit 3 Slot Non-Fixed	72
Hackamore + Accessories	74
Pony Bit	76





HANDMADE IN THE NETHERLANDS

The bits of TRUST Equestrian are of Dutch origin (all bits are designed, developed and made in the Netherlands). Every day a team of technical professionals work on the production of these bits. They are assembled with the greatest care and made of the best materials, the quality control and standard are therefore very high.

ANATOMICALLY SHAPED

When designing the bits, the balance between shape, material and weight is constantly considered. The bits of TRUST Equestrian are anatomically shaped which means that they are slightly curved and follow the shape of the horse's mouth.



ENDLESS POSSIBILITIES

The TRUST bits are available in 3 materials, 22 mouthpieces and 34 cheekpieces. This allows for an infinite number of combinations so that we can find a suitable bit for every horse.

A right bit for every horse

At TRUST Equestrian, we are always moving forward. With our products, with the brand, and above all with horses. We get inspired by stories from the equestrian industry and aim to contribute to optimal communication between horse and rider. The bit fulfils an important, if not the most important task. Do you want the best performance together with your horse? Then a well-fitted bit is a requirement. Which bit that may be, differs for every combination and circumstance.

That is why we develop bits using our own vision, based on years of experience. Therefore, our assortment is constantly expanding. Production of the Sweet Iron mouthpieces started more than 15 years ago, followed by the Leather and Inno Sense mouthpieces. Meanwhile, the range offers more than 2,000 different bits, enabling us to provide many combinations with a well-fitted bit.





Sweet Iron

The Sweet Iron bits are made of iron and have the well-known blue colour, obtained by heating during production. When in contact with (humid) air, Sweet Iron develops a rusty surface that tastes sweet and naturally stimulates the horse's saliva production. This causes the horse to foam more, which in turn improves the acceptance of the bit. This rusting process (oxidation) changes the blue colour of the TRUST bits into silver or brown-grey, a desired effect of the Sweet Iron bits. When temporarily not using a Sweet Iron bit, an orange-brown layer of

rust may appear on the mouthpiece. This can easily be removed by wiping the bit with a damp cloth. The orange-brown rusty layer is not harmful. Sweet Iron bits are suitable for all horses and help the horse to foam more, resulting in a better acceptance of the bit. The Sweet Iron collection offers the widest variety of mouthpieces, each with its specific purpose.



SINGLE JOINTED

A single-jointed mouthpiece has one joint, which puts less pressure on the tongue than a double or multi-jointed mouthpiece. This mouthpiece acts mainly on the layers and sides of the tongue. A single-jointed mouthpiece is considered a standard mouthpiece.



ELLIPTICAL

The Elliptical mouthpiece is the first example of a double-jointed mouthpiece with an elliptical-shaped link. Due to this shape, the mouthpiece presses a bit more on the middle of the tongue. This mouthpiece has two joints, is shaped more to the form of the mouth and lies in the mouth a bit looser. This bit puts more pressure on the tongue than a single-jointed mouthpiece.



LOCKED

The Locked mouthpiece is single-jointed, but locks when it is hinged. So when there is counter-pressure, it works like an unjointed mouthpiece. This makes the effect stronger. The bit changes back into a single-joint mouthpiece when there is less counter-pressure on the reins. This makes it an ideal corrective mouthpiece for horses that, for example, push against the hand and/or walk through the hand.



CHERRY ROLLER

The Cherry Roller mouthpiece consists of a single-jointed mouthpiece with loose rollers on both sides. These rollers discourage the horse from grasping the bit or from taking hold of it.



BRASS RINGS

The Brass Rings mouthpiece is a mouthpiece with brass rings in the middle and is suitable for horses with a 'dead' mouth that need some stimulation. This mouthpiece can be used to increase tongue activity. Please note that it can cause a restless mouth on other horses.



WIDEPORT SEGUNDO

The Wideport Segundo is a double-jointed mouthpiece with a tongue arch. Unlike other double-jointed mouthpieces, the Wideport Segundo reduces the pressure on the tongue. The Wideport Segundo is usually used for horses that do not like the pressure on the tongue.



ARCHED

The Arched mouthpiece is a straight mouthpiece with a slight curve. The bending of the bit creates space for the tongue and spreads the pressure over the tongue, the layers and the lips. With the Arched mouthpiece, the pressure is evenly distributed in the mouth.



LOW PORT

The Low Port is a straight mouthpiece with a low port. It leaves a bit more room for the tongue and allows for good pressure distribution on the layers. The port creates space for the tongue and reduces the pressure on the middle of the horse's tongue.



MEDIUM PORT

The Medium Port is a straight mouthpiece with a medium port. The port offers more space for the tongue and reduces the pressure on the middle of the horse's tongue.



DR. BRISTOL

The Dr. Bristol mouthpiece is a double-jointed mouthpiece with a flat middle section. Due to the shape of the mouthpiece, the pressure is evenly distributed between the middle and the side of the tongue upon tilting.



WATERFORD

The Waterford mouthpiece consists of a series of elliptically shaped links. This mouthpiece is usually used with horses that are heavy in the hand and have difficulty relaxing the jaw.



FRENCH LINK

The French Link mouthpiece is a double-jointed mouthpiece with a flat eight-shaped piece in the middle, which exerts equal pressure on the tongue. Because of the smaller edges, the pressure is somewhat sharper than with a normal double-jointed mouthpiece. The French Link mouthpiece has two hinge points, is shaped more to the form of the mouth and lies looser in the mouth. Because of the shape of the French Link, the mouthpiece will exert more pressure on the sides of the tongue when tilted. The intermediate piece is angled at 45° so that it lies flat on the tongue.




SLOW TWIST

The Slow Twist mouthpiece is single-jointed with twisted iron on both sides. Because of the twist, this mouthpiece has a sharper edge and therefore a sharper effect on the layers than a normal single-jointed mouthpiece. This mouthpiece is not suitable for sensitive horses or inexperienced riders.



SLOW TWIST LOCKED

The Slow Twist Locked mouthpiece is single-jointed with twisted iron on both sides but locks when it is hinged forward. So when there is counter-pressure, it works like an unjointed mouthpiece. This makes the action stronger. When there is less counter-pressure on the reins, the bit changes back into a single-jointed mouthpiece. This makes it an ideal corrective mouthpiece for horses that, for example, press against the hand and/or walk through the hand. Because of the twist, this mouthpiece has sharper edges and therefore more effect on the layers than a normal single-jointed mouthpiece. This mouthpiece is not suitable for sensitive horses or inexperienced riders.





Bits from the Inno Sense collection can be used for all horses, but are particularly suitable for young horses and horses with sensitive mouths. The plastic used is FDA-approved, which means that the material is non-toxic and contains no plasticizers. Experience shows that horses ridden with an Inno Sense mouthpiece follow the hand easily and accept the bit quickly.

Inno Sense mouthpieces are considerably softer than metal mouthpieces. This is what most horses like about these bits. If the bit lies on the layers correctly, damage to the mouthpiece is unlikely, but not impossible due to, for example, sharp edges on the teeth.



FLEXI SOFT

The Inno Sense Flexi Soft bits are made of elastic plastic and are very flexible. There is a flexible metal core in the bit. The flexibility makes this a friendly bit and horses accept it very well. The Inno Sense Flexi Soft is less suitable for strong horses.



MULLEN

The Inno Sense Mullen is a straight bar that slightly bends forward. This mouthpiece is fabricated of synthetic material. The bit has a rigid core that makes the mullen bar not flexible but the material around it still gives the bit a soft touch.



PORT MEDIUM

The Inno Sense Port Medium is made of elastic plastic, harder than the Flexi Soft. The Inno Sense Port Medium is slightly flexible. This mouthpiece has a tongue arch which provides less pressure on the centre of the horse's tongue. More tongue freedom is ideal for horses that have a sensitive tongue or horses that stick out their tongue.



PORT HARD

The Inno Sense Port Hard is made of elastic plastic, harder than the Tongue Arch Medium. The Inno Sense Port Hard is hard to bend. This mouthpiece has a tongue arch which provides less pressure on the centre of the horse's tongue. More tongue freedom is ideal for horses that have a sensitive tongue or horses that stick their tongue out.

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not Flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	



Inno Sense 'slim'



FLEXI SOFT 'SLIM'

The Inno Sense Flexi Soft bits are made of elastic plastic and are very flexible. There is a flexible metal core in the bit. The flexibility makes this a friendly bit and horses accept it very well. The thin 15mm mouthpieces are ideal for horses and ponies with small mouths and when using a double bridle. The Inno Sense Flexi Soft is less suitable for very strong horses.



PORT MEDIUM 'SLIM'

The Inno Sense Port Medium is made of elastic plastic, harder than the Flexi Soft. The Inno Sense Port Medium is slightly flexible. This mouthpiece has a tongue arch which provides less pressure on the centre of the horse's tongue. More tongue freedom is ideal for horses that have a sensitive tongue or horses that stick out their tongue. The thin 15mm mouthpieces are ideal for horses and ponies with a small mouth and when using a double bridle.



PORT HARD 'SLIM'

The Inno Sense Port Hard is made of elastic plastic, harder than the Inno Sense Port Medium. The Inno Sense Port Hard is hard to bend. This mouthpiece has a tongue arch which provides less pressure on the centre of the horse's tongue. More tongue freedom is ideal for horses that have a sensitive tongue or horses that stick their tongue out. The thin 15mm mouthpieces are ideal for horses and ponies with small mouths and when using a double bridle.



LEATHER



LEATHER

The leather bits are a remarkable appearance in the TRUST collection. The leather is stitched manually around the reinforced nylon core and is tanned without chemicals. Also, the round construction is unique. Saliva makes the leather mouthpiece soften, after which it forms to the horse's mouth. Experience shows that many horses like this very much. The flexible effect in combination with the taste of the leather makes the bit extremely suitable for horses with sensitive mouths. In addition, we have noticed that mares especially like the taste of the leather and therefore accept the bit well.

Note: Make sure that the stitching always faces the outside of the mouth, when the bit is used. Unlike metal mouthpieces, leather mouthpieces are softer. This is what most horses like about these mouthpieces. When the mouthpiece is properly placed on the layers, damage to the mouthpiece is quite unlikely, but not impossible due to sharp edges on the teeth for example.

Maintenance:

The leather bit is easy to keep supple. You keep it supple by lubricating it regularly with olive oil.





**INNO SENSE
EGGBUT FLEXI SOFT**

Art. nr	Thickness	Size
05000971	20 mm	12,5 cm
05000972	20 mm	13,5 cm
05000973	20 mm	14,5 cm



**INNO SENSE
LOOSE RING FLEXI SOFT**

Art. nr	Thickness	Size
05001131	20 mm	12,5 cm
05001132	20 mm	13,5 cm
05001133	20 mm	14,5 cm



**SWEET IRON
EGGBUT ELIPTICAL**

Art. nr	Thickness	Size
05000117	16 mm	11,5 cm
05000118	16 mm	12,5 cm
05000119	16 mm	13,5 cm
05000120	16 mm	14,5 cm



**SWEET IRON
LOOSE RING ELIPTICAL**

Art. nr	Thickness	Size
05000089	16 mm	11,5 cm
05000090	16 mm	12,5 cm
05000091	16 mm	13,5 cm
05000092	16 mm	14,5 cm



**SWEET IRON
EGGBUT SINGLE JOINTED**

Art. nr	Thickness	Size
05000133	16 mm	11,5 cm
05000135	16 mm	12,5 cm
05000136	16 mm	13,5 cm
05000134	16 mm	14,5 cm



**SWEET IRON
LOOSE RING JOINTED**

Art. nr	Thickness	Size
05000069	16 mm	11,5 cm
05000070	16 mm	12,5 cm
05000071	16 mm	13,5 cm
05000072	16 mm	14,5 cm



**INNO SENSE
BABY PELHAM FLEXI SOFT**

Art. nr	Thickness	Size
05000848	20 mm	12,5 cm
05000849	20 mm	13,5 cm
05000850	20 mm	14,5 cm



**INNO SENSE
EGGBUT PORT MEDIUM**

Art. nr	Thickness	Size
05001938	20 mm	12,5 cm
05001939	20 mm	13,5 cm
05001940	20 mm	14,5 cm



**INNO SENSE HACKAMORE
COMBI SHORT MULLEN**

Art. nr	Thickness	Size
05001055	20 mm	12,5 cm
05001056	20 mm	13,5 cm
05001057	20 mm	14,5 cm



**INNO SENSE
FULL CHEEK FLEXI SOFT**

Art. nr	Thickness	Size
05001011	20 mm	12,5 cm
05001012	20 mm	13,5 cm
05001013	20 mm	14,5 cm



**INNO SENSE
2,5 RING FLEXI SOFT**

Art. nr	Thickness	Size
05000828	20 mm	12,5 cm
05000829	20 mm	13,5 cm
05000830	20 mm	14,5 cm



**INNO SENSE
DEE FLEXI SOFT**

Art. nr	Thickness	Size
05000936	20 mm	12,5 cm
05000937	20 mm	13,5 cm
05000938	20 mm	14,5 cm



EGGBUT



We consider the Eggbut cheekpiece to be the most simple and common. The rings do not move up and down, resulting in a more stable position in the mouth and more direct rein aids. The lips don't get pinched by this cheekpiece, so bit rings are not necessary.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000971	20 mm	12,5 cm
05000972	20 mm	13,5 cm
05000973	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002127	20 mm	12,5 cm
05002128	20 mm	13,5 cm
05002129	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001938	20 mm	12,5 cm
05001939	20 mm	13,5 cm
05001940	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002001	20 mm	12,5 cm
05002002	20 mm	13,5 cm
05002003	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003050	15 mm	11,5 cm
05003051	15 mm	12,5 cm
05003052	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003053	15 mm	11,5 cm
05003054	15 mm	12,5 cm
05003055	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003608	15 mm	11,5 cm
05003609	15 mm	12,5 cm
05003610	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05001008	12 mm	11,5 cm
05001009	12 mm	12,5 cm
05001003	12 mm	13,5 cm
05001004	12 mm	14,5 cm
05000133	16 mm	11,5 cm
05000135	16 mm	12,5 cm
05000136	16 mm	13,5 cm
05000134	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000299	12 mm	11,5 cm
05000300	12 mm	12,5 cm
05000301	12 mm	13,5 cm
05000302	12 mm	14,5 cm
05000117	16 mm	11,5 cm
05000118	16 mm	12,5 cm
05000119	16 mm	13,5 cm
05000120	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000303	12 mm	11,5 cm
05000304	12 mm	12,5 cm
05000305	12 mm	13,5 cm
05000306	12 mm	14,5 cm
05000145	16 mm	11,5 cm
05000146	16 mm	12,5 cm
05000147	16 mm	13,5 cm
05000148	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000137	16 mm	11,5 cm
05000139	16 mm	12,5 cm
05000140	16 mm	13,5 cm
05000138	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000129	16 mm	11,5 cm
05000130	16 mm	12,5 cm
05000131	16 mm	13,5 cm
05000132	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000400	16 mm	11,5 cm
05000401	16 mm	12,5 cm
05000402	16 mm	13,5 cm
05000403	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000081	16 mm	11,5 cm
05000082	16 mm	12,5 cm
05000083	16 mm	13,5 cm
05000084	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001384	16 mm	11,5 cm
05001385	16 mm	12,5 cm
05001386	16 mm	13,5 cm
05001387	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002433	16 mm	11,5 cm
05002435	16 mm	12,5 cm
05002436	16 mm	13,5 cm
05002434	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001372	16 mm	11,5 cm
05001373	16 mm	12,5 cm
05001374	16 mm	13,5 cm
05001375	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001376	16 mm	11,5 cm
05001377	16 mm	12,5 cm
05001378	16 mm	13,5 cm
05001379	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05000077	16 mm	11,5 cm
05000078	16 mm	12,5 cm
05000079	16 mm	13,5 cm
05000080	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003435	16 mm	11,5 cm
05003436	16 mm	12,5 cm
05003437	16 mm	13,5 cm
05003438	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003456	16 mm	11,5 cm
05003457	16 mm	12,5 cm
05003458	16 mm	13,5 cm
05003459	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000219	20 mm	11,5 cm
05000220	20 mm	12,5 cm
05000221	20 mm	13,5 cm
05000222	20 mm	14,5 cm





LOOSE RING



The Loose Ring has loose rings that move freely through the mouthpiece. Because of this, rein aids are conveyed less directly than when the rings are attached to the mouthpiece. To prevent skin from getting pinched between the moving rings, it is advised to use rubber bit rings.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001131	20 mm	12,5 cm
05001132	20 mm	13,5 cm
05001133	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002151	20 mm	12,5 cm
05002152	20 mm	13,5 cm
05002153	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001962	20 mm	12,5 cm
05001963	20 mm	13,5 cm
05001964	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002025	20 mm	12,5 cm
05002026	20 mm	13,5 cm
05002027	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003140	15 mm	11,5 cm
05003141	15 mm	12,5 cm
05003142	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003143	15 mm	11,5 cm
05003144	15 mm	12,5 cm
05003145	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003653	15 mm	11,5 cm
05003654	15 mm	12,5 cm
05003655	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000355	12 mm	11,5 cm
05001154	12 mm	12,5 cm
05001155	12 mm	13,5 cm
05001156	12 mm	14,5 cm
05000069	16 mm	11,5 cm
05000070	16 mm	12,5 cm
05000071	16 mm	13,5 cm
05000072	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000275	12 mm	11,5 cm
05000276	12 mm	12,5 cm
05000277	12 mm	13,5 cm
05000278	12 mm	14,5 cm
05000089	16 mm	11,5 cm
05000090	16 mm	12,5 cm
05000091	16 mm	13,5 cm
05000092	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000283	12 mm	11,5 cm
05000284	12 mm	12,5 cm
05000285	12 mm	13,5 cm
05000286	12 mm	14,5 cm
05000005	16 mm	11,5 cm
05000006	16 mm	12,5 cm
05000007	16 mm	13,5 cm
05000008	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000001	16 mm	11,5 cm
05000002	16 mm	12,5 cm
05000003	16 mm	13,5 cm
05000004	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000149	16 mm	11,5 cm
05000150	16 mm	12,5 cm
05000151	16 mm	13,5 cm
05000152	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000520	16 mm	11,5 cm
05000521	16 mm	12,5 cm
05000522	16 mm	13,5 cm
05000523	16 mm <td 14,5 cm	



DR. BRISTOL

Art. nr	Thickness	Size
05000009	16 mm	11,5 cm
05000010	16 mm	12,5 cm
05000011	16 mm	13,5 cm
05000012	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001540	16 mm	11,5 cm
05001541	16 mm	12,5 cm
05001542	16 mm	13,5 cm
05001543	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002429	16 mm	11,5 cm
05002430	16 mm	12,5 cm
05002431	16 mm	13,5 cm
05002432	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001528	16 mm	11,5 cm
05001529	16 mm	12,5 cm
05001530	16 mm	13,5 cm
05001531	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001532	16 mm	11,5 cm
05001533	16 mm	12,5 cm
05001534	16 mm	13,5 cm
05001535	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05000013	16 mm	11,5 cm
05000014	16 mm	12,5 cm
05000015	16 mm	13,5 cm
05000016	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003431	16 mm	11,5 cm
05003432	16 mm	12,5 cm
05003433	16 mm	13,5 cm
05003434	16 mm	14,5 cm



SLOW TWIST LOCKED


Art. nr	Thickness	Size
05003443	16 mm	11,5 cm
05003445	16 mm	12,5 cm
05003446	16 mm	13,5 cm
05003447	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000215	20 mm	11,5 cm
05000216	20 mm	12,5 cm
05000217	20 mm	13,5 cm
05000218	20 mm	14,5 cm





DEE



The D-ring cheekpiece consists of two rings that are shaped like a D. As the rings cannot move back and forth, this cheekpiece offers more stability but also lets the rein aids come through more directly. The D-shape gives more side pressure (against the cheek), making steering easier.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000936	20 mm	12,5 cm
05000937	20 mm	13,5 cm
05000938	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002121	20 mm	12,5 cm
05002122	20 mm	13,5 cm
05002123	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001932	20 mm	12,5 cm
05001933	20 mm	13,5 cm
05001934	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05001995	20 mm	12,5 cm
05001996	20 mm	13,5 cm
05001997	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003032	15 mm	11,5 cm
05003033	15 mm	12,5 cm
05003034	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003035	15 mm	11,5 cm
05003036	15 mm	12,5 cm
05003037	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003599	15 mm	11,5 cm
05003600	15 mm	12,5 cm
05003601	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000327	12 mm	11,5 cm
05000328	12 mm	12,5 cm
05000329	12 mm	13,5 cm
05000330	12 mm	14,5 cm
05000173	16 mm	11,5 cm
05000174	16 mm	12,5 cm
05000175	16 mm	13,5 cm
05000176	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000331	12 mm	11,5 cm
05000332	12 mm	12,5 cm
05000333	12 mm	13,5 cm
05000334	12 mm	14,5 cm
05000125	16 mm	11,5 cm
05000126	16 mm	12,5 cm
05000127	16 mm	13,5 cm
05000128	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000356	12 mm	11,5 cm
05000357	12 mm	12,5 cm
05000358	12 mm	13,5 cm
05000359	12 mm	14,5 cm
05000177	16 mm	11,5 cm
05000178	16 mm	12,5 cm
05000179	16 mm	13,5 cm
05000180	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000165	16 mm	11,5 cm
05000166	16 mm	12,5 cm
05000167	16 mm	13,5 cm
05000168	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000161	16 mm	11,5 cm
05000162	16 mm	12,5 cm
05000163	16 mm	13,5 cm
05000164	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000367	16 mm	11,5 cm
05000368	16 mm	12,5 cm
05000369	16 mm <td 13,5 cm	
05000370	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000153	16 mm	11,5 cm
05000154	16 mm	12,5 cm
05000155	16 mm	13,5 cm
05000156	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001368	16 mm	11,5 cm
05001369	16 mm	12,5 cm
05001370	16 mm	13,5 cm
05001371	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002437	16 mm	11,5 cm
05002438	16 mm	12,5 cm
05002439	16 mm	13,5 cm
05002440	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001352	16 mm	11,5 cm
05001353	16 mm	12,5 cm
05001354	16 mm	13,5 cm
05001355	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001360	16 mm	11,5 cm
05001361	16 mm	12,5 cm
05001362	16 mm	13,5 cm
05001363	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001364	16 mm	11,5 cm
05001365	16 mm	12,5 cm
05001366	16 mm	13,5 cm
05001367	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003439	16 mm	11,5 cm
05003440	16 mm	12,5 cm
05003441	16 mm	13,5 cm
05003442	16 mm	14,5 cm



SLOW TWIST LOCKED


Art. nr	Thickness	Size
05003460	16 mm	11,5 cm
05003461	16 mm	12,5 cm
05003462	16 mm	13,5 cm
05003463	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000227	20 mm	11,5 cm
05000228	20 mm	12,5 cm
05000229	20 mm	13,5 cm
05000230	20 mm	14,5 cm





FULL CHEEK



The Full Cheek has two vertical rods on a fixed ring. These straight bars(toggles) provide more side pressure (against the cheek), making steering easier. The ring of the Full Cheek is smaller than that of the D-shaped bit with less leverage effect as a result. The upper toggles of the TRUST Full Cheek are slightly curved outwards so that they do not get stuck under the noseband.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001011	20 mm	12,5 cm
05001012	20 mm	13,5 cm
05001013	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002133	20 mm	12,5 cm
05002134	20 mm	13,5 cm
05002135	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001944	20 mm	12,5 cm
05001945	20 mm	13,5 cm
05001946	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002007	20 mm	12,5 cm
05002008	20 mm	13,5 cm
05002009	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003062	15 mm	11,5 cm
05003063	15 mm	12,5 cm
05003064	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
5003065	15 mm	11,5 cm
5003066	15 mm	12,5 cm
5003067	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
5003614	15 mm	11,5 cm
5003615	15 mm	12,5 cm
5003616	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000045	16 mm	11,5 cm
05000046	16 mm	12,5 cm
05000047	16 mm	13,5 cm
05000048	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000109	16 mm	11,5 cm
05000110	16 mm	12,5 cm
05000111	16 mm	13,5 cm
05000112	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000053	16 mm	11,5 cm
05000054	16 mm	12,5 cm
05000055	16 mm	13,5 cm
05000056	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000049	16 mm	11,5 cm
05000050	16 mm	12,5 cm
05000051	16 mm	13,5 cm
05000052	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000061	16 mm	11,5 cm
05000062	16 mm	12,5 cm
05000063	16 mm	13,5 cm
05000064	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000448	16 mm	11,5 cm
05000449	16 mm	12,5 cm
05000450	16 mm	13,5 cm
05000451	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000057	16 mm	11,5 cm
05000058	16 mm	12,5 cm
05000059	16 mm	13,5 cm
05000060	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001444	16 mm	11,5 cm
05001445	16 mm	12,5 cm
05001446	16 mm	13,5 cm
05001447	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002425	16 mm	11,5 cm
05002426	16 mm	12,5 cm
05002427	16 mm	13,5 cm
05002428	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001428	16 mm	11,5 cm
05001429	16 mm	12,5 cm
05001430	16 mm	13,5 cm
05001431	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001436	16 mm	11,5 cm
05001437	16 mm	12,5 cm
05001438	16 mm	13,5 cm
05001439	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001440	16 mm	11,5 cm
05001441	16 mm	12,5 cm
05001442	16 mm	13,5 cm
05001443	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003427	16 mm	11,5 cm
05003428	16 mm	12,5 cm
05003429	16 mm	13,5 cm
05003430	16 mm	14,5 cm



SLOW TWIST LOCKED


Art. nr	Thickness	Size
05003452	16 mm	11,5 cm
05003453	16 mm	12,5 cm
05003454	16 mm	13,5 cm
05003455	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000223	20 mm	11,5 cm
05000224	20 mm	12,5 cm
05000225	20 mm	13,5 cm
05000226	20 mm	14,5 cm





2,5 EGGBUT



A 2,5 Eggbutt cheekpiece is a milder version of a 3 rings (Pessoa) cheekpiece. With this cheekpiece, a leverage effect can be created. The lower the reins are placed, the more effect the bit will have. Compared to the 2.5 Loose Ring, the rings do not move freely, which means there is less movement in the bit and the mouthpiece is more stable in the mouth. The pressure point lies on the poll, just behind the ears.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000800	20 mm	12,5 cm
05000801	20 mm	13,5 cm
05000802	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002109	20 mm	12,5 cm
05002110	20 mm	13,5 cm
05002111	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001920	20 mm	12,5 cm
05001921	20 mm	13,5 cm
05001922	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05001983	20 mm	12,5 cm
05001984	20 mm	13,5 cm
05001985	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05002984	15 mm	11,5 cm
05002985	15 mm	12,5 cm
05002986	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05002987	15 mm	11,5 cm
05002988	15 mm	12,5 cm
05002989	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003575	15 mm	11,5 cm
05003576	15 mm	12,5 cm
05003577	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000810	16 mm	11,5 cm
05000811	16 mm	12,5 cm
05000812	16 mm	13,5 cm
05000813	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000789	16 mm	11,5 cm
05000790	16 mm	12,5 cm
05000791	16 mm	13,5 cm
05000792	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000803	16 mm	11,5 cm
05000804	16 mm	12,5 cm
05000805	16 mm	13,5 cm
05000806	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000271	16 mm	11,5 cm
05000272	16 mm	12,5 cm
05000273	16 mm	13,5 cm
05000274	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000263	16 mm	11,5 cm
05000264	16 mm	12,5 cm
05000265	16 mm	13,5 cm
05000266	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000793	16 mm	11,5 cm
05000794	16 mm	12,5 cm
05000795	16 mm	13,5 cm
05000796	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000267	16 mm	11,5 cm
05000268	16 mm	12,5 cm
05000269	16 mm	13,5 cm
05000270	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001268	16 mm	11,5 cm
05001269	16 mm	12,5 cm
05001270	16 mm	13,5 cm
05001271	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002481	16 mm	11,5 cm
05002482	16 mm	12,5 cm
05002483	16 mm	13,5 cm
05002484	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001252	16 mm	11,5 cm
05001253	16 mm	12,5 cm
05001254	16 mm	13,5 cm
05001255	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001260	16 mm	11,5 cm
05001261	16 mm	12,5 cm
05001262	16 mm	13,5 cm
05001263	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001264	16 mm	11,5 cm
05001265	16 mm	12,5 cm
05001266	16 mm	13,5 cm
05001267	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003315	16 mm	11,5 cm
05003316	16 mm	12,5 cm
05003317	16 mm	13,5 cm
05003318	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003488	16 mm	11,5 cm
05003489	16 mm	12,5 cm
05003490	16 mm	13,5 cm
05003491	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000814	20 mm	11,5 cm
05000815	20 mm	12,5 cm
05000816	20 mm	13,5 cm
05000817	20 mm	14,5 cm





2,5 RING



A 2.5-ring cheekpiece is a milder version of a 3-ring (Pessoa) cheekpiece. This cheekpiece can be used to create a leverage effect. The lower the reins are placed, the more direct the bit becomes. Compared to the 2,5 Eggbut, the loose rings can move loosely, allowing more movement in the bit and a more indirect effect of the hand's help. The pressure point lies on the poll, just behind the ears.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000828	20 mm	12,5 cm
05000829	20 mm	13,5 cm
05000830	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05001986	20 mm	12,5 cm
05001987	20 mm	13,5 cm
05001988	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003578	15 mm	11,5 cm
05003579	15 mm	12,5 cm
05003580	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002112	20 mm	12,5 cm
05002113	20 mm	13,5 cm
05002114	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05002990	15 mm	11,5 cm
05002991	15 mm	12,5 cm
05002992	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001923	20 mm	12,5 cm
05001924	20 mm	13,5 cm
05001925	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05002993	15 mm	11,5 cm
05002994	15 mm	12,5 cm
05002995	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000838	16 mm	11,5 cm
05000839	16 mm	12,5 cm
05000840	16 mm	13,5 cm
05000841	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000733	16 mm	11,5 cm
05000734	16 mm	12,5 cm
05000735	16 mm	13,5 cm
05000736	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000831	16 mm	11,5 cm
05000832	16 mm	12,5 cm
05000833	16 mm	13,5 cm
05000834	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000295	16 mm	11,5 cm
05000296	16 mm	12,5 cm
05000297	16 mm	13,5 cm
05000298	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000291	16 mm	11,5 cm
05000292	16 mm	12,5 cm
05000293	16 mm	13,5 cm
05000294	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001272	16 mm	11,5 cm
05001273	16 mm	12,5 cm
05001274	16 mm	13,5 cm
05001275	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003319	16 mm	11,5 cm
05003320	16 mm	12,5 cm
05003321	16 mm	13,5 cm
05003322	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000287	16 mm	11,5 cm
05000288	16 mm	12,5 cm
05000289	16 mm	13,5 cm
05000290	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001288	16 mm	11,5 cm
05001289	16 mm	12,5 cm
05001290	16 mm	13,5 cm
05001291	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001280	16 mm	11,5 cm
05001281	16 mm	12,5 cm
05001282	16 mm	13,5 cm
05001283	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003492	16 mm	11,5 cm
05003493	16 mm	12,5 cm
05003494	16 mm	13,5 cm
05003495	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000279	16 mm	11,5 cm
05000280	16 mm	12,5 cm
05000281	16 mm	13,5 cm
05000282	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002485	16 mm	11,5 cm
05002486	16 mm	12,5 cm
05002487	16 mm	13,5 cm
05002488	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001284	16 mm	11,5 cm
05001285	16 mm	12,5 cm
05001286	16 mm	13,5 cm
05001287	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000247	20 mm	11,5 cm
05000248	20 mm	12,5 cm
05000249	20 mm	13,5 cm
05000250	20 mm	14,5 cm





3 RING



A 3 ring cheekpiece, also called Pessoa, is a cheekpiece with a leverage effect. The lower the reins are placed, the more impact the bit will have. The pressure point lies on the poll, just behind the ears.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001713	20 mm	12,5 cm
05001714	20 mm	13,5 cm
05001715	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002163	20 mm	12,5 cm
05002164	20 mm	13,5 cm
05002165	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001974	20 mm	12,5 cm
05001975	20 mm	13,5 cm
05001976	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002037	20 mm	12,5 cm
05002038	20 mm	13,5 cm
05002039	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05002996	15 mm	11,5 cm
05002997	15 mm	12,5 cm
05002998	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05002999	15 mm	11,5 cm
05003000	15 mm	12,5 cm
05003001	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003581	15 mm	11,5 cm
05003582	15 mm	12,5 cm
05003583	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05001708	16 mm	11,5 cm
05001709	16 mm	12,5 cm
05001710	16 mm	13,5 cm
05001711	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05001696	16 mm	11,5 cm
05001697	16 mm	12,5 cm
05001698	16 mm	13,5 cm
05001699	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05001704	16 mm	11,5 cm
05001705	16 mm	12,5 cm
05001706	16 mm	13,5 cm
05001707	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05001688	16 mm	11,5 cm
05001689	16 mm	12,5 cm
05001690	16 mm	13,5 cm
05001691	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05001684	16 mm	11,5 cm
05001685	16 mm	12,5 cm
05001686	16 mm	13,5 cm
05001687	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05001700	16 mm	11,5 cm
05001701	16 mm	12,5 cm
05001702	16 mm	13,5 cm
05001703	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05001692	16 mm	11,5 cm
05001693	16 mm	12,5 cm
05001694	16 mm	13,5 cm
05001695	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001680	16 mm	11,5 cm
05001681	16 mm	12,5 cm
05001682	16 mm	13,5 cm
05001683	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002497	16 mm	11,5 cm
05002498	16 mm	12,5 cm
05002499	16 mm	13,5 cm
05002500	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001664	16 mm	11,5 cm
05001665	16 mm	12,5 cm
05001666	16 mm	13,5 cm
05001667	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001672	16 mm	11,5 cm
05001673	16 mm	12,5 cm
05001674	16 mm	13,5 cm
05001675	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001676	16 mm	11,5 cm
05001677	16 mm	12,5 cm
05001678	16 mm	13,5 cm
05001679	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003331	16 mm	11,5 cm
05003332	16 mm	12,5 cm
05003333	16 mm	13,5 cm
05003337	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003566	16 mm	11,5 cm
05003567	16 mm	12,5 cm
05003568	16 mm	13,5 cm
05003569	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05001720	20 mm	11,5 cm
05001721	20 mm	12,5 cm
05001722	20 mm	13,5 cm
05001723	20 mm	14,5 cm





PELHAM



The Pelham is a cheekpiece with combined leverage on the poll, just behind the ears, and the chin. It can be used with one or two reins, but if you choose to ride with one rein, this must be done with a connection between the big and the lower loose ring. The strap used for this is called a Pelham strap. The greater the leverage effect, the bigger the impact. This bit comes with a curb chain, which should be well-fitted.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001191	20 mm	12,5 cm
05001192	20 mm	13,5 cm
05001193	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002034	20 mm	12,5 cm
05002035	20 mm	13,5 cm
05002036	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003146	15 mm	11,5 cm
05003657	15 mm	12,5 cm
05003658	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002160	20 mm	12,5 cm
05002161	20 mm	13,5 cm
05002162	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003146	15 mm	11,5 cm
05003147	15 mm	12,5 cm
05003148	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001971	20 mm	12,5 cm
05001972	20 mm	13,5 cm
05001973	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003149	15 mm	11,5 cm
05003150	15 mm	12,5 cm
05003151	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000754	16 mm	11,5 cm
05000755	16 mm	12,5 cm
05000756	16 mm	13,5 cm
05000757	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000629	16 mm	11,5 cm
05000630	16 mm	12,5 cm
05000631	16 mm	13,5 cm
05000632	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000758	16 mm	11,5 cm
05000759	16 mm	12,5 cm
05000760	16 mm	13,5 cm
05000761	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000576	16 mm	11,5 cm
05000577	16 mm	12,5 cm
05000578	16 mm	13,5 cm
05000579	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000568	16 mm	11,5 cm
05000569	16 mm	12,5 cm
05000570	16 mm	13,5 cm
05000571	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000560	16 mm	11,5 cm
05000561	16 mm	12,5 cm
05000562	16 mm	13,5 cm
05000563	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000572	16 mm	11,5 cm
05000573	16 mm	12,5 cm
05000574	16 mm	13,5 cm
05000575	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001620	16 mm	11,5 cm
05001621	16 mm	12,5 cm
05001622	16 mm	13,5 cm
05001623	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002473	16 mm	11,5 cm
05002474	16 mm	12,5 cm
05002475	16 mm	13,5 cm
05002476	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001604	16 mm	11,5 cm
05001605	16 mm	12,5 cm
05001606	16 mm	13,5 cm
05001607	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001612	16 mm	11,5 cm
05001613	16 mm	12,5 cm
05001614	16 mm	13,5 cm
05001615	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001616	16 mm	11,5 cm
05001617	16 mm	12,5 cm
05001618	16 mm	13,5 cm
05001619	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003307	16 mm	11,5 cm
05003308	16 mm	12,5 cm
05003309	16 mm	13,5 cm
05003310	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003480	16 mm	11,5 cm
05003481	16 mm	12,5 cm
05003482	16 mm	13,5 cm
05003483	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000231	20 mm	11,5 cm
05000232	20 mm	12,5 cm
05000233	20 mm	13,5 cm
05000234	20 mm	14,5 cm





BABY PELHAM



The Baby Pelham is a cheekpiece with combined leverage on the poll, just behind the ears, and the chin. It can be used with one or two reins, but if you choose to ride with one rein, this must be done with a connection between the large and lower loose ring. The strap used for this is called a Pelham strap. The greater the leverage effect, the bigger the impact. The Baby Pelham has short shanks and therefore it has a milder effect than the normal Pelham. This bit comes with a curb chain, which should be well-fitted.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000848	20 mm	12,5 cm
05000849	20 mm	13,5 cm
05000850	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05001989	20 mm	12,5 cm
05001990	20 mm	13,5 cm
05001991	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003584	15 mm	11,5 cm
05003585	15 mm	12,5 cm
05003586	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002115	20 mm	12,5 cm
05002116	20 mm	13,5 cm
05002117	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003002	15 mm	11,5 cm
05003003	15 mm	12,5 cm
05003004	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001926	20 mm	12,5 cm
05001927	20 mm	13,5 cm
05001928	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003005	15 mm	11,5 cm
05003006	15 mm	12,5 cm
05003007	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000307	12 mm	11,5 cm
05000308	12 mm	12,5 cm
05000309	12 mm	13,5 cm
05000310	12 mm	14,5 cm
05000017	16 mm	11,5 cm
05000018	16 mm	12,5 cm
05000020	16 mm	13,5 cm
05000019	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000319	12 mm	11,5 cm
05000320	12 mm	12,5 cm
05000321	12 mm	13,5 cm
05000322	12 mm	14,5 cm
05000097	16 mm	11,5 cm
05000098	16 mm	12,5 cm
05000099	16 mm	13,5 cm
05000100	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000323	12 mm	11,5 cm
05000324	12 mm	12,5 cm
05000325	12 mm	13,5 cm
05000326	12 mm	14,5 cm
05000029	16 mm	11,5 cm
05000030	16 mm	12,5 cm
05000031	16 mm	13,5 cm
05000032	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000025	16 mm	11,5 cm
05000026	16 mm	12,5 cm
05000027	16 mm	13,5 cm
05000028	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000033	16 mm	11,5 cm
05000034	16 mm	12,5 cm
05000035	16 mm	13,5 cm
05000036	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001292	16 mm	11,5 cm
05001293	16 mm	12,5 cm
05001294	16 mm	13,5 cm
05001295	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003270	16 mm	11,5 cm
05003271	16 mm	12,5 cm
05003272	16 mm	13,5 cm
05003273	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000037	16 mm	11,5 cm
05000038	16 mm	12,5 cm
05000039	16 mm	13,5 cm
05000040	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001308	16 mm	11,5 cm
05001309	16 mm	12,5 cm
05001310	16 mm	13,5 cm
05001311	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001300	16 mm	11,5 cm
05001301	16 mm	12,5 cm
05001302	16 mm	13,5 cm
05001303	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003448	16 mm	11,5 cm
05003449	16 mm	12,5 cm
05003450	16 mm	13,5 cm
05003451	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000311	16 mm	11,5 cm
05000312	16 mm	12,5 cm
05000313	16 mm	13,5 cm
05000314	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002421	16 mm	11,5 cm
05002422	16 mm	12,5 cm
05002424	16 mm	13,5 cm
05002423	16 mm	14,5 cm



MEDIUM PORT


Art. nr	Thickness	Size
05001304	16 mm	11,5 cm
05001305	16 mm	12,5 cm
05001306	16 mm	13,5 cm
05001307	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000211	20 mm	11,5 cm
05000212	20 mm	12,5 cm
05000213	20 mm	13,5 cm
05000214	20 mm	14,5 cm





HACKAMORE COMBI SHORT



The Hackamore Combi short cheekpiece is a combination of a Hackamore with a bit. The Hackamore Combi distributes the pressure over the mouth and nose. The greater the leverage effect, the bigger the impact. The TRUST Hackamore combinations all have an adjustable screw above the mouthpiece. The lower the screw, the more pressure on the nose. This combination with short shanks has less impact than the long Hackamore Combi. The curb strap should be properly adjusted (not loose, not too tight but just right), so that the nosepiece is well-fitted and stays in place. The cheekpiece is attached to the rectangular part.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001055	20 mm	12,5 cm
05001056	20 mm	13,5 cm
05001057	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002142	20 mm	12,5 cm
05002143	20 mm	13,5 cm
05002144	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001953	20 mm	12,5 cm
05001954	20 mm	13,5 cm
05001955	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002016	20 mm	12,5 cm
05002017	20 mm	13,5 cm
05002018	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003074	15 mm	11,5 cm
05003075	15 mm	12,5 cm
05003076	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003077	15 mm	11,5 cm
05003078	15 mm	12,5 cm
05003079	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003620	15 mm	11,5 cm
05003621	15 mm	12,5 cm
05003622	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000697	16 mm	11,5 cm
05000698	16 mm	12,5 cm
05000699	16 mm	13,5 cm
05000700	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000677	16 mm	11,5 cm
05000678	16 mm	12,5 cm
05000679	16 mm	13,5 cm
05000680	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000673	16 mm	11,5 cm
05000674	16 mm	12,5 cm
05000675	16 mm	13,5 cm
05000676	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05001048	16 mm	11,5 cm
05001049	16 mm	12,5 cm
05001050	16 mm	13,5 cm
05001051	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001504	16 mm	11,5 cm
05001505	16 mm	12,5 cm
05001506	16 mm	13,5 cm
05001507	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002465	16 mm	11,5 cm
05002466	16 mm	12,5 cm
05002467	16 mm	13,5 cm
05002468	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001488	16 mm	11,5 cm
05001489	16 mm	12,5 cm
05001490	16 mm	13,5 cm
05001491	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001496	16 mm	11,5 cm
05001497	16 mm	12,5 cm
05001498	16 mm	13,5 cm
05001499	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001500	16 mm	11,5 cm
05001501	16 mm	12,5 cm
05001502	16 mm	13,5 cm
05001503	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003299	16 mm	11,5 cm
05003300	16 mm	12,5 cm
05003301	16 mm	13,5 cm
05003302	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003468	16 mm	11,5 cm
05003469	16 mm	12,5 cm
05003470	16 mm	13,5 cm
05003471	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000588	20 mm	11,5 cm
05000589	20 mm	12,5 cm
05000590	20 mm	13,5 cm
05000591	20 mm	14,5 cm





HACKAMORE COMBI LONG



The Hackamore Combi long cheekpiece is a combination of a Hackamore with a bit. This cheekpiece divides the pressure over the mouth and nose. Because of the leverage effect, it gives pressure on the nose and lower jaw as well as in the mouth. The greater the leverage effect, bigger the impact. The TRUST Hackamore combinations all have an adjustable screw above the mouthpiece. The lower the screw, the more pressure on the nose. The curb strap should be properly adjusted (not loose, not too tight but just right), so that the nosepiece is well-fitted and stays in place. The cheekpiece is attached to the rectangular part.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001039	20 mm	12,5 cm
05001040	20 mm	13,5 cm
05001041	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002139	20 mm	12,5 cm
05002140	20 mm	13,5 cm
05002141	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001950	20 mm	12,5 cm
05001951	20 mm	13,5 cm
05001952	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002013	20 mm	12,5 cm
05002014	20 mm	13,5 cm
05002015	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003068	15 mm	11,5 cm
05003069	15 mm	12,5 cm
05003070	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003071	15 mm	11,5 cm
05003072	15 mm	12,5 cm
05003073	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003617	15 mm	11,5 cm
05003618	15 mm	12,5 cm
05003619	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000725	16 mm	11,5 cm
05000726	16 mm	12,5 cm
05000727	16 mm	13,5 cm
05000728	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000705	16 mm	11,5 cm
05000706	16 mm	12,5 cm
05000707	16 mm	13,5 cm
05000708	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000701	16 mm	11,5 cm
05000702	16 mm	12,5 cm
05000703	16 mm	13,5 cm
05000704	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05001032	16 mm	11,5 cm
05001033	16 mm	12,5 cm
05001034	16 mm	13,5 cm
05001035	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001484	16 mm	11,5 cm
05001485	16 mm	12,5 cm
05001486	16 mm	13,5 cm
05001487	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002469	16 mm	11,5 cm
05002470	16 mm	12,5 cm
05002471	16 mm	13,5 cm
05002472	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001468	16 mm	11,5 cm
05001469	16 mm	12,5 cm
05001470	16 mm	13,5 cm
05001471	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001476	16 mm	11,5 cm
05001477	16 mm	12,5 cm
05001478	16 mm	13,5 cm
05001479	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001480	16 mm	11,5 cm
05001481	16 mm	12,5 cm
05001482	16 mm	13,5 cm
05001483	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003303	16 mm	11,5 cm
05003304	16 mm	12,5 cm
05003305	16 mm	13,5 cm
05003306	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003472	16 mm	11,5 cm
05003473	16 mm	12,5 cm
05003474	16 mm	13,5 cm
05003475	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000729	20 mm	11,5 cm
05000730	20 mm	12,5 cm
05000731	20 mm	13,5 cm
05000732	20 mm	14,5 cm





WEYMOUTH FIXED



The Weymouth fixed is used together with a bradoon, the so-called double bridle. The Weymouth is a cheekpiece with leverage effect. For this combination, you need a double bridle or an extra bridle cheekpiece. This bit comes with a curb chain to prevent the bit from rotating too far. The curb chain should be well-fitted.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002767	20 mm	12,5 cm
05002768	20 mm	13,5 cm
05002769	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002974	20 mm	12,5 cm
05002975	20 mm	13,5 cm
05002976	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002377	20 mm	12,5 cm
05002378	20 mm	13,5 cm
05002379	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002710	20 mm	12,5 cm
05002711	20 mm	13,5 cm
05002712	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003158	15 mm	11,5 cm
05003159	15 mm	12,5 cm
05003160	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003161	15 mm	11,5 cm
05003162	15 mm	12,5 cm
05003163	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003662	15 mm	11,5 cm
05003663	15 mm	12,5 cm
05003664	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



ARCHED

Art. nr	Thickness	Size
05000593	16 mm	11,5 cm
05000594	16 mm	12,5 cm
05000595	16 mm	13,5 cm
05000596	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05000601	16 mm	11,5 cm
05000602	16 mm	12,5 cm
05000603	16 mm	13,5 cm
05000604	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05000617	16 mm	11,5 cm
05000618	16 mm	12,5 cm
05000619	16 mm	13,5 cm
05000620	16 mm	14,5 cm



BABY WEYMOUTH FIXED



The Baby Weymouth fixed is used together with a bradoon, the so-called double bridle. The Baby Weymouth fixed is a cheekpiece with less leverage effect and therefore has less impact. For this combination you need a double bridle or an extra bridle cheekpiece. This bit comes with a curb chain to prevent the bit from rotating too far. The curb chain should be well-fitted.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002773	20 mm	12,5 cm
05002774	20 mm	13,5 cm
05002775	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002891	20 mm	12,5 cm
05002892	20 mm	13,5 cm
05002893	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002380	20 mm	12,5 cm
05002381	20 mm	13,5 cm
05002382	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002707	20 mm	12,5 cm
05002708	20 mm	13,5 cm
05002709	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003008	15 mm	11,5 cm
05003009	15 mm	12,5 cm
05003010	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003011	15 mm	11,5 cm
05003012	15 mm	12,5 cm
05003013	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003587	15 mm	11,5 cm
05003588	15 mm	12,5 cm
05003589	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



ARCHED

Art. nr	Thickness	Size
05000597	16 mm	11,5 cm
05000598	16 mm	12,5 cm
05000599	16 mm	13,5 cm
05000600	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05000605	16 mm	11,5 cm
05000606	16 mm	12,5 cm
05000607	16 mm	13,5 cm
05000608	16 mm	14,5 cm




MEDIUM PORT

Art. nr	Thickness	Size
05000621	16 mm	11,5 cm
05000622	16 mm	12,5 cm
05000623	16 mm	13,5 cm
05000624	16 mm	14,5 cm



WEYMOUTH NON-FIXED



The Weymouth non-fixed is used together with bradoon, so you get a double bridle. The Weymouth non-fixed is a cheekpiece with leverage effect. The Weymouth can move up and down, making the aids come through more indirectly. For this combination, you need a double bridle or an extra cheekpiece. This bit comes with a curb chain to prevent the bit from rotating too far. The curb chain should be well-fitted.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002882	20 mm	12,5 cm
05002883	20 mm	13,5 cm
05002884	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002389	20 mm	12,5 cm
05002390	20 mm	13,5 cm
05002391	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002371	20 mm	12,5 cm
05002372	20 mm	13,5 cm
05002373	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002383	20 mm	12,5 cm
05002384	20 mm	13,5 cm
05002385	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003164	15 mm	11,5 cm
05003165	15 mm	12,5 cm
05003166	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003167	15 mm	11,5 cm
05003168	15 mm	12,5 cm
05003169	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003665	15 mm	11,5 cm
05003666	15 mm	12,5 cm
05003667	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



ARCHED

Art. nr	Thickness	Size
05002327	16 mm	11,5 cm
05002328	16 mm	12,5 cm
05002329	16 mm	13,5 cm
05002330	16 mm	14,5 cm



LOW PORT


Art. nr	Thickness	Size
05002331	16 mm	11,5 cm
05002332	16 mm	12,5 cm
05002333	16 mm	13,5 cm
05002334	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002335	16 mm	11,5 cm
05002336	16 mm	12,5 cm
05002337	16 mm	13,5 cm
05002338	16 mm	14,5 cm

BABY WEYMOUTH NON-FIXED



The Baby Weymouth non-fixed is used together with bradoon, so you get a double bridle. The Baby Weymouth is a cheekpiece with less leverage effect and is therefore considered more gentle. The Weymouth can move up and down, making the aids come through more indirectly. For a double-bridle combination, you need a double bridle or an extra cheekpiece. This bit comes with a curb chain to prevent the bit from rotating too far. The curb chain should be well-fitted.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002879	20 mm	12,5 cm
05002880	20 mm	13,5 cm
05002881	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002392	20 mm	12,5 cm
05002393	20 mm	13,5 cm
05002394	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002374	20 mm	12,5 cm
05002375	20 mm	13,5 cm
05002376	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002386	20 mm	12,5 cm
05002387	20 mm	13,5 cm
05002388	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003014	15 mm	11,5 cm
05003015	15 mm	12,5 cm
05003016	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
5003017	15 mm	11,5 cm
5003018	15 mm	12,5 cm
5003019	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003590	15 mm	11,5 cm
05003591	15 mm	12,5 cm
05003592	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



ARCHED

Art. nr	Thickness	Size
05002343	16 mm	11,5 cm
05002344	16 mm	12,5 cm
05002345	16 mm	13,5 cm
05002346	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05002347	16 mm	11,5 cm
05002348	16 mm	12,5 cm
05002349	16 mm	13,5 cm
05002350	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002351	16 mm	11,5 cm
05002352	16 mm	12,5 cm
05002353	16 mm	13,5 cm
05002354	16 mm	14,5 cm



EGGBUT BRADOON



We consider the Eggbut to be the simplest and most common cheekpiece. The rings do not move up and down, resulting in a more stable position in the mouth and more direct rein aids. Small rings are used as a bradoon with the double bridle (12 mm) or as a bit for a Hackamore (12 or 16 mm).

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000948	16 mm	12,5 cm
05000949	16 mm	13,5 cm
05000950	16 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002124	16 mm	12,5 cm
05002125	16 mm	13,5 cm
05002126	16 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001935	16 mm	12,5 cm
05001936	16 mm	13,5 cm
05001937	16 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05001998	16 mm	12,5 cm
05001999	16 mm	13,5 cm
05002000	16 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003038	15 mm	11,5 cm
05003039	15 mm	12,5 cm
05003040	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003041	15 mm	11,5 cm
05003042	15 mm	12,5 cm
05003043	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003602	15 mm	11,5 cm
05003603	15 mm	12,5 cm
05003604	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



CHERRY ROLLER

Art. nr	Thickness	Size
05000420	16 mm	11,5 cm
05000421	16 mm	12,5 cm
05000422	16 mm	13,5 cm
05000423	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000416	16 mm	11,5 cm
05000417	16 mm	12,5 cm
05000418	16 mm	13,5 cm
05000419	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000408	16 mm	11,5 cm
05000409	16 mm	12,5 cm
05000410	16 mm	13,5 cm
05000411	16 mm	14,5 cm



SINGLE JOINTED

Art. nr	Thickness	Size
05002310	12 mm	11,5 cm
05002311	12 mm	12,0 cm
05000955	12 mm	12,5 cm
05000774	12 mm	13,0 cm
05000956	12 mm	13,5 cm
05000775	12 mm	14,0 cm
05000957	12 mm	14,5 cm
05000776	12 mm	15,0 cm
05000657	16 mm	11,5 cm
05000658	16 mm	12,5 cm
05000659	16 mm	13,5 cm
05000660	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000942	12 mm	12,5 cm
05000777	12 mm	13,0 cm
05000943	12 mm	13,5 cm
05000778	12 mm	14,0 cm
05000944	12 mm	14,5 cm
05000779	12 mm	15,0 cm
05000661	16 mm	11,5 cm
05000662	16 mm	12,5 cm
05000663	16 mm	13,5 cm
05000664	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05002320	12 mm	11,5 cm
05002321	12 mm	12,0 cm
05001898	12 mm	12,5 cm
05001899	12 mm	13,0 cm
05001900	12 mm	13,5 cm
05001901	12 mm	14,0 cm
05001902	12 mm	14,5 cm
05001903	12 mm	15,0 cm
05000951	16 mm	11,5 cm
05000952	16 mm	12,5 cm
05000953	16 mm	13,5 cm
05000954	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000404	16 mm	11,5 cm
05000405	16 mm	12,5 cm
05000406	16 mm	13,5 cm
05000407	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001404	16 mm	11,5 cm
05001405	16 mm	12,5 cm
05001406	16 mm	13,5 cm
05001407	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002461	16 mm	11,5 cm
05002462	16 mm	12,5 cm
05002463	16 mm	13,5 cm
05002464	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001388	16 mm	11,5 cm
05001389	16 mm	12,5 cm
05001390	16 mm	13,5 cm
05001391	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001396	16 mm	11,5 cm
05001397	16 mm	12,5 cm
05001398	16 mm	13,5 cm
05001399	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001400	16 mm	11,5 cm
05001401	16 mm	12,5 cm
05001402	16 mm	13,5 cm
05001403	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003295	16 mm	11,5 cm
05003296	16 mm	12,5 cm
05003297	16 mm	13,5 cm
05003298	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003537	16 mm	11,5 cm
05003538	16 mm	12,5 cm
05003539	16 mm	13,5 cm
05003540	16 mm	14,5 cm



LEATHER

Art. nr	Thickness	Size
05000961	20 mm	11,5 cm
05000962	20 mm	12,5 cm
05000963	20 mm	13,5 cm
05000964	20 mm	14,5 cm





LOOSE RING BRADOON



The Loose Ring bradoon has loose rings that move freely through the mouthpiece. Because of this, rein aids are conveyed less directly than when the rings are attached to the mouthpiece. Small rings are used as a bradoon on a double bridle (12 mm) or as a bit on a Hackamore (12 or 16 mm).

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001111	16 mm	12,5 cm
05001112	16 mm	13,5 cm
05001113	16 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002148	16 mm	12,5 cm
05002149	16 mm	13,5 cm
05002150	16 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001959	16 mm	12,5 cm
05001960	16 mm	13,5 cm
05001961	16 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002022	16 mm	12,5 cm
05002023	16 mm	13,5 cm
05002024	16 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003122	15 mm	11,5 cm
05003123	15 mm	12,5 cm
05003124	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003125	15 mm	11,5 cm
05003126	15 mm	12,5 cm
05003127	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003644	15 mm	11,5 cm
05003645	15 mm	12,5 cm
05003646	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



CHERRY ROLLER

Art. nr	Thickness	Size
05000351	16 mm	11,5 cm
05000352	16 mm	12,5 cm
05000353	16 mm	13,5 cm
05000354	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000347	16 mm	11,5 cm
05000348	16 mm	12,5 cm
05000349	16 mm	13,5 cm
05000350	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000339	16 mm	11,5 cm
05000340	16 mm	12,5 cm
05000341	16 mm	13,5 cm
05000342	16 mm	14,5 cm



SINGLE JOINTED

Art. nr	Thickness	Size
05002315	12 mm	11,5 cm
05002316	12 mm	12,0 cm
05001118	12 mm	12,5 cm
05000780	12 mm	13,0 cm
05001119	12 mm	13,5 cm
05000781	12 mm	14,0 cm
05001120	12 mm	14,5 cm
05000782	12 mm	15,0 cm
05000762	16 mm	11,5 cm
05000763	16 mm	12,5 cm
05000764	16 mm	13,5 cm
05000765	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05001105	12 mm	12,5 cm
05000783	12 mm	13,0 cm
05001106	12 mm	13,5 cm
05000784	12 mm	14,0 cm
05001107	12 mm	14,5 cm
05000785	12 mm	15,0 cm
05000766	16 mm	11,5 cm
05000767	16 mm	12,5 cm
05000768	16 mm	13,5 cm
05000769	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05002325	12 mm	11,5 cm
05002326	12 mm	12,0 cm
05001904	12 mm	12,5 cm
05001905	12 mm	13,0 cm
05001906	12 mm	13,5 cm
05001907	12 mm	14,0 cm
05001908	12 mm	14,5 cm
05001909	12 mm	15,0 cm
05001114	16 mm	11,5 cm
05001115	16 mm	12,5 cm
05001116	16 mm	13,5 cm
05001117	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000335	16 mm	11,5 cm
05000336	16 mm	12,5 cm
05000337	16 mm	13,5 cm
05000338	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001560	16 mm	11,5 cm
05001561	16 mm	12,5 cm
05001562	16 mm	13,5 cm
05001563	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002477	16 mm	11,5 cm
05002478	16 mm	12,5 cm
05002479	16 mm	13,5 cm
05002480	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001544	16 mm	11,5 cm
05001545	16 mm	12,5 cm
05001546	16 mm	13,5 cm
05001547	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001552	16 mm	11,5 cm
05001553	16 mm	12,5 cm
05001554	16 mm	13,5 cm
05001555	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001556	16 mm	11,5 cm
05001557	16 mm	12,5 cm
05001558	16 mm	13,5 cm
05001559	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003311	16 mm	11,5 cm
05003312	16 mm	12,5 cm
05003313	16 mm	13,5 cm
05003314	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003553	16 mm	11,5 cm
05003554	16 mm	12,5 cm
05003555	16 mm	13,5 cm
05003556	16 mm	14,5 cm




LEATHER



LEATHER

Art. nr	Thickness	Size
05001121	20 mm	11,5 cm
05001122	20 mm	12,5 cm
05001123	20 mm	13,5 cm
05001124	20 mm	14,5 cm





EGGBUT GAG



The Eggbut Gag has a fixed ring with two small rings for the gag cheeks. It encourages the horse to keep its head up. Due to the fixed rings, the rein aids are conveyed more directly than when using the Loose Ring Gag. The pressure points are located on top of the head, just behind the ears, and in the corners of the mouth. The cheekpiece can be used with one or two reins. This cheekpiece is most commonly used with two reins, one attached to the large ring and the other to the ring of the gag cheek. This way, the rider can better dose the gag effect. Please note: The normal bridle cheekpiece is replaced by the gag cheek.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000988	20 mm	12,5 cm
05000989	20 mm	13,5 cm
05000990	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002004	20 mm	12,5 cm
05002005	20 mm	13,5 cm
05002006	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003605	15 mm	11,5 cm
05003606	15 mm	12,5 cm
05003607	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002130	20 mm	12,5 cm
05002131	20 mm	13,5 cm
05002132	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003044	15 mm	11,5 cm
05003045	15 mm	12,5 cm
05003046	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001941	20 mm	12,5 cm
05001942	20 mm	13,5 cm
05001943	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003047	15 mm	11,5 cm
05003048	15 mm	12,5 cm
05003049	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000641	16 mm	11,5 cm
05000642	16 mm	12,5 cm
05000643	16 mm	13,5 cm
05000644	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000645	16 mm	11,5 cm
05000646	16 mm	12,5 cm
05000647	16 mm	13,5 cm
05000648	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000991	16 mm	11,5 cm
05000992	16 mm	12,5 cm
05000993	16 mm	13,5 cm
05000994	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000974	16 mm	11,5 cm
05000975	16 mm	12,5 cm
05000976	16 mm	13,5 cm
05000977	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000436	16 mm	11,5 cm
05000437	16 mm	12,5 cm
05000438	16 mm	13,5 cm
05000439	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001408	16 mm	11,5 cm
05001409	16 mm	12,5 cm
05001410	16 mm	13,5 cm
05001411	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003291	16 mm	11,5 cm
05003292	16 mm	12,5 cm
05003293	16 mm	13,5 cm
05003294	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000665	16 mm	11,5 cm
05000666	16 mm	12,5 cm
05000667	16 mm	13,5 cm
05000668	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001424	16 mm	11,5 cm
05001425	16 mm	12,5 cm
05001426	16 mm	13,5 cm
05001427	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001416	16 mm	11,5 cm
05001417	16 mm	12,5 cm
05001418	16 mm	13,5 cm
05001419	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003533	16 mm	11,5 cm
05003534	16 mm	12,5 cm
05003535	16 mm	13,5 cm
05003536	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000981	16 mm	11,5 cm
05000982	16 mm	12,5 cm
05000983	16 mm	13,5 cm
05000984	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002457	16 mm	11,5 cm
05002458	16 mm	12,5 cm
05002459	16 mm	13,5 cm
05002460	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001420	16 mm	11,5 cm
05001421	16 mm	12,5 cm
05001422	16 mm	13,5 cm
05001423	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000998	20 mm	11,5 cm
05000999	20 mm	12,5 cm
05001000	20 mm	13,5 cm
05001001	20 mm	14,5 cm





LOOSE RING GAG

The Loose Ring Gag is a loose ring with two small rings for the gag cheeks. It encourages the horse to keep its head up. The pressure points are on the top of the head, just behind the ears and the corners of the mouth. The cheekpiece can be used with one or two reins. This cheekpiece is most commonly used with two reins, one attached to the large ring and the other to the ring of the gag cheek. This way, the rider can better dose the gag effect. Please note: The normal bridle cheekpiece is replaced by the gag cheek.



INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001148	20 mm	12,5 cm
05001149	20 mm	13,5 cm
05001150	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002154	20 mm	12,5 cm
05002155	20 mm	13,5 cm
05002156	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001965	20 mm	12,5 cm
05001966	20 mm	13,5 cm
05001967	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002028	20 mm	12,5 cm
05002029	20 mm	13,5 cm
05002030	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003128	15 mm	11,5 cm
05003129	15 mm	12,5 cm
05003130	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003131	15 mm	11,5 cm
05003132	15 mm	12,5 cm
05003133	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003647	15 mm	11,5 cm
05003648	15 mm	12,5 cm
05003649	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000203	16 mm	11,5 cm
05000204	16 mm	12,5 cm
05000205	16 mm	13,5 cm
05000206	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000669	16 mm	11,5 cm
05000670	16 mm	12,5 cm
05000671	16 mm	13,5 cm
05000672	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000770	16 mm	11,5 cm
05000771	16 mm	12,5 cm
05000772	16 mm	13,5 cm
05000773	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000536	16 mm	11,5 cm
05000537	16 mm	12,5 cm
05000538	16 mm	13,5 cm
05000539	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05001138	16 mm	11,5 cm
05001139	16 mm	12,5 cm
05001140	16 mm	13,5 cm
05001141	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000528	16 mm	11,5 cm
05000529	16 mm	12,5 cm
05000530	16 mm	13,5 cm
05000531	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000524	16 mm	11,5 cm
05000525	16 mm	12,5 cm
05000526	16 mm	13,5 cm
05000527	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001580	16 mm	11,5 cm
05001581	16 mm	12,5 cm
05001582	16 mm	13,5 cm
05001583	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002444	16 mm	11,5 cm
05002445	16 mm	12,5 cm
05002446	16 mm	13,5 cm
05002447	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001564	16 mm	11,5 cm
05001565	16 mm	12,5 cm
05001566	16 mm	13,5 cm
05001567	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001572	16 mm	11,5 cm
05001573	16 mm	12,5 cm
05001574	16 mm	13,5 cm
05001575	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001576	16 mm	11,5 cm
05001577	16 mm	12,5 cm
05001578	16 mm	13,5 cm
05001579	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003278	16 mm	11,5 cm
05003279	16 mm	12,5 cm
05003280	16 mm	13,5 cm
05003281	16 mm	14,5 cm



SLOW TWIST LOCKED


Art. nr	Thickness	Size
05003484	16 mm	11,5 cm
05003485	16 mm	12,5 cm
05003486	16 mm	13,5 cm
05003487	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000207	20 mm	11,5 cm
05000208	20 mm	12,5 cm
05000209	20 mm	13,5 cm
05000210	20 mm	14,5 cm





FULL CHEEK GAG



The Full Cheek Gag has two vertical rods on a fixed ring. These straight bars (toggles) provide more side pressure (against the cheek), making steering easier. The ring of the Full Cheek Gag is somewhat smaller than the ring of the normal Full Cheek, resulting in less leverage effect. The upper toggles of the TRUST Full Cheek are slightly curved outwards so that they do not get stuck under the noseband. This cheekpiece is most commonly used with two reins, one attached to the large ring and the other to the ring of the gag cheek. This way, the rider can better dose the gag effect. Please note: The normal bridle cheekpiece is replaced by the gag cheek.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001020	20 mm	12,5 cm
05001021	20 mm	13,5 cm
05001022	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002010	20 mm	12,5 cm
05002011	20 mm	13,5 cm
05002012	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003611	15 mm	11,5 cm
05003612	15 mm	12,5 cm
05003613	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002136	20 mm	12,5 cm
05002137	20 mm	13,5 cm
05002138	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003056	15 mm	11,5 cm
05003057	15 mm	12,5 cm
05003058	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001947	20 mm	12,5 cm
05001948	20 mm	13,5 cm
05001949	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003059	15 mm	11,5 cm
05003060	15 mm	12,5 cm
05003061	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000315	16 mm	11,5 cm
05000316	16 mm	12,5 cm
05000317	16 mm	13,5 cm
05000318	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000637	16 mm	11,5 cm
05000638	16 mm	12,5 cm
05000639	16 mm	13,5 cm
05000640	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000633	16 mm	11,5 cm
05000634	16 mm	12,5 cm
05000635	16 mm	13,5 cm
05000636	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000480	16 mm	11,5 cm
05000481	16 mm	12,5 cm
05000482	16 mm	13,5 cm
05000483	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000464	16 mm	11,5 cm
05000465	16 mm	12,5 cm
05000466	16 mm	13,5 cm
05000467	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001448	16 mm	11,5 cm
05001449	16 mm	12,5 cm
05001450	16 mm	13,5 cm
05001451	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003282	16 mm	11,5 cm
05003283	16 mm	12,5 cm
05003284	16 mm	13,5 cm
05003285	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000476	16 mm	11,5 cm
05000477	16 mm	12,5 cm
05000478	16 mm	13,5 cm
05000479	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001464	16 mm	11,5 cm
05001465	16 mm	12,5 cm
05001466	16 mm	13,5 cm
05001467	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001456	16 mm	11,5 cm
05001457	16 mm	12,5 cm
05001458	16 mm	13,5 cm
05001459	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003464	16 mm	11,5 cm
05003465	16 mm	12,5 cm
05003466	16 mm	13,5 cm
05003467	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000468	16 mm	11,5 cm
05000469	16 mm	12,5 cm
05000470	16 mm	13,5 cm
05000471	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002448	16 mm	11,5 cm
05002449	16 mm	12,5 cm
05002450	16 mm	13,5 cm
05002451	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001460	16 mm	11,5 cm
05001461	16 mm	12,5 cm
05001462	16 mm	13,5 cm
05001463	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000243	20 mm	11,5 cm
05000244	20 mm	12,5 cm
05000245	20 mm	13,5 cm
05000246	20 mm	14,5 cm





CURBGAG



The Curbgag is a combination of the Pelham and the Loose ring Gag. A Curbgag is a loose ring with two small holes on each side for the leather curb strap to run through. The pressure points are on the chin and behind the ears. This cheekpiece can be used with one or two reins. It is most commonly used with two reins, one attached to the large ring and the other to the ring of the leather curb strap. This way, the rider can better dose the pressure distribution between the curb and the mouth.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05000924	20 mm	12,5 cm
05000925	20 mm	13,5 cm
05000926	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05001992	20 mm	12,5 cm
05001993	20 mm	13,5 cm
05001994	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003596	15 mm	11,5 cm
05003597	15 mm	12,5 cm
05003598	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002118	20 mm	12,5 cm
05002119	20 mm	13,5 cm
05002120	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003026	15 mm	11,5 cm
05003027	15 mm	12,5 cm
05003028	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001929	20 mm	12,5 cm
05001930	20 mm	13,5 cm
05001931	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003029	15 mm	11,5 cm
05003030	15 mm	12,5 cm
05003031	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000592	16 mm	11,5 cm
05000181	16 mm	12,5 cm
05000182	16 mm	13,5 cm
05000183	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05001712	16 mm	11,5 cm
05000184	16 mm	12,5 cm
05000185	16 mm	13,5 cm
05000186	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05000737	16 mm	11,5 cm
05000738	16 mm	12,5 cm
05000739	16 mm	13,5 cm
05000740	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000239	20 mm	11,5 cm
05000240	20 mm	12,5 cm
05000241	20 mm	13,5 cm
05000242	20 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05000898	16 mm	11,5 cm
05000899	16 mm	12,5 cm
05000900	16 mm	13,5 cm
05000901	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05000910	16 mm	11,5 cm
05000911	16 mm	12,5 cm
05000912	16 mm	13,5 cm
05000913	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001332	16 mm	11,5 cm
05001333	16 mm	12,5 cm
05001334	16 mm	13,5 cm
05001335	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003274	16 mm	11,5 cm
05003275	16 mm	12,5 cm
05003276	16 mm	13,5 cm
05003277	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000906	16 mm	11,5 cm
05000907	16 mm	12,5 cm
05000908	16 mm	13,5 cm
05000909	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001348	16 mm	11,5 cm
05001349	16 mm	12,5 cm
05001350	16 mm	13,5 cm
05001351	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001340	16 mm	11,5 cm
05001341	16 mm	12,5 cm
05001342	16 mm	13,5 cm
05001343	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003476	16 mm	11,5 cm
05003477	16 mm	12,5 cm
05003478	16 mm	13,5 cm
05003479	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05000917	16 mm	11,5 cm
05000918	16 mm	12,5 cm
05000919	16 mm	13,5 cm
05000920	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002456	16 mm	11,5 cm
05002441	16 mm	12,5 cm
05002442	16 mm	13,5 cm
05002443	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001344	16 mm	11,5 cm
05001345	16 mm	12,5 cm
05001346	16 mm	13,5 cm
05001347	16 mm	14,5 cm



BAUCHER BIT



The Baucher cheekpiece also known as a Hanging Cheek, is a version of the Eggbutt, featuring smaller rings on top of the eggbutt rings. The bridle cheekpiece is attached to those smaller top rings and the reins to the eggbutt rings as usual. This creates a slight leverage effect.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002797	20 mm	12,5 cm
05002798	20 mm	13,5 cm
05002799	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002803	20 mm	12,5 cm
05002804	20 mm	13,5 cm
05002805	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003623	15 mm	11,5 cm
05003624	15 mm	12,5 cm
05003625	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002806	20 mm	12,5 cm
05002807	20 mm	13,5 cm
05002808	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003080	15 mm	11,5 cm
05003081	15 mm	12,5 cm
05003082	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002800	20 mm	12,5 cm
05002801	20 mm	13,5 cm
05002802	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003083	15 mm	11,5 cm
05003084	15 mm	12,5 cm
05003085	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05002404	12 mm	11,5 cm
05002405	12 mm	12,5 cm
05002406	12 mm	13,5 cm
05002407	12 mm	14,5 cm
05001023	16 mm	11,5 cm
05001024	16 mm	12,5 cm
05001025	16 mm	13,5 cm
05001026	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002401	12 mm	12,5 cm
05002402	12 mm	13,5 cm
05002403	12 mm	14,5 cm
05001027	16 mm	11,5 cm
05001028	16 mm	12,5 cm
05001029	16 mm	13,5 cm
05001030	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05002977	16 mm	11,5 cm
05002978	16 mm	12,5 cm
05002979	16 mm	13,5 cm
05002980	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05002816	16 mm	11,5 cm
05002817	16 mm	12,5 cm
05002818	16 mm	13,5 cm
05002819	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05002820	16 mm	11,5 cm
05002821	16 mm	12,5 cm
05002822	16 mm	13,5 cm
05002823	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05002832	16 mm	11,5 cm
05002833	16 mm	12,5 cm
05002834	16 mm	13,5 cm
05002835	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003323	16 mm	11,5 cm
05003324	16 mm	12,5 cm
05003325	16 mm	13,5 cm
05003326	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05002812	16 mm	11,5 cm
05002813	16 mm	12,5 cm
05002814	16 mm	13,5 cm
05002815	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05002513	16 mm	11,5 cm
05002514	16 mm	12,5 cm
05002515	16 mm	13,5 cm
05002516	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002509	16 mm	11,5 cm
05002510	16 mm	12,5 cm
05002511	16 mm	13,5 cm
05002512	16 mm	14,5 cm




SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003504	16 mm	11,5 cm
05003505	16 mm	12,5 cm
05003506	16 mm	13,5 cm
05003507	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05002828	16 mm	11,5 cm
05002829	16 mm	12,5 cm
05002830	16 mm	13,5 cm
05002831	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002489	16 mm	11,5 cm
05002490	16 mm	12,5 cm
05002491	16 mm	13,5 cm
05002492	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05002836	20 mm	11,5 cm
05002837	20 mm	12,5 cm
05002838	20 mm	13,5 cm
05002839	20 mm	14,5 cm





The Kimblewick cheekpiece is like a Pelham, but has a more direct effect and can be ridden with one or two reins. The lower the rein, the greater the leverage effect, and the more effective the bit will be. This cheekpiece is also used as a driving bit.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002924	20 mm	12,5 cm
05002925	20 mm	13,5 cm
05002926	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002961	20 mm	12,5 cm
05002962	20 mm	13,5 cm
05001963	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002981	20 mm	12,5 cm
05002982	20 mm	13,5 cm
05002983	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002955	20 mm	12,5 cm
05002956	20 mm	13,5 cm
05002957	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003092	15 mm	11,5 cm
05003093	15 mm	12,5 cm
05003094	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003095	15 mm	11,5 cm
05003096	15 mm	12,5 cm
05003097	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003629	15 mm	11,5 cm
05003630	15 mm	12,5 cm
05003631	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05002931	16 mm	11,5 cm
05002932	16 mm	12,5 cm
05002933	16 mm	13,5 cm
05002934	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002916	16 mm	11,5 cm
05002917	16 mm	12,5 cm
05002918	16 mm	13,5 cm
05002919	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05002927	16 mm	11,5 cm
05002928	16 mm	12,5 cm
05002929	16 mm	13,5 cm
05002930	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05002904	16 mm	11,5 cm
05002905	16 mm	12,5 cm
05002906	16 mm	13,5 cm
05002907	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05002908	16 mm	11,5 cm
05002909	16 mm	12,5 cm
05002910	16 mm	13,5 cm
05002911	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05002920	16 mm	11,5 cm
05002921	16 mm	12,5 cm
05002922	16 mm	13,5 cm
05002923	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05002912	16 mm	11,5 cm
05002913	16 mm	12,5 cm
05002914	16 mm	13,5 cm
05002915	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05002951	16 mm	11,5 cm
05002952	16 mm	12,5 cm
05002953	16 mm	13,5 cm
05002954	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002964	16 mm	11,5 cm
05002965	16 mm	12,5 cm
05002966	16 mm	13,5 cm
05002967	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05002935	16 mm	11,5 cm
05002936	16 mm	12,5 cm
05002937	16 mm	13,5 cm
05002938	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05002943	16 mm	11,5 cm
05002944	16 mm	12,5 cm
05002945	16 mm	13,5 cm
05002946	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002947	16 mm	11,5 cm
05002948	16 mm	12,5 cm
05002949	16 mm	13,5 cm
05002950	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003423	16 mm	11,5 cm
05003424	16 mm	12,5 cm
05003425	16 mm	13,5 cm
05003426	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003520	16 mm	11,5 cm
05003521	16 mm	12,5 cm
05003522	16 mm	13,5 cm
05003523	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05002900	20 mm	11,5 cm
05002901	20 mm	12,5 cm
05002902	20 mm	13,5 cm
05002903	20 mm	14,5 cm





KIMBLEHOOK



The Kimblehook cheekpiece is similar to the Kimblewick but enables greater leverage. It can be ridden with one or two reins. The lower the rein is placed, the greater the leverage effect, and the bigger the impact.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
005001091	20 mm	12,5 cm
005001092	20 mm	13,5 cm
005001093	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002145	20 mm	12,5 cm
05002146	20 mm	13,5 cm
05002147	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001956	20 mm	12,5 cm
05001957	20 mm	13,5 cm
05001958	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002019	20 mm	12,5 cm
05002020	20 mm	13,5 cm
05002021	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003086	15 mm	11,5 cm
05003087	15 mm	12,5 cm
05003088	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003089	15 mm	11,5 cm
05003090	15 mm	12,5 cm
05003091	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003626	15 mm	11,5 cm
05003627	15 mm	12,5 cm
05003628	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05001101	16 mm	11,5 cm
05001102	16 mm	12,5 cm
05001103	16 mm	13,5 cm
05001104	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05001080	16 mm	11,5 cm
05001081	16 mm	12,5 cm
05001082	16 mm	13,5 cm
05001083	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05001094	16 mm	11,5 cm
05001095	16 mm	12,5 cm
05001096	16 mm	13,5 cm
05001097	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05001061	16 mm	11,5 cm
05001062	16 mm	12,5 cm
05001063	16 mm	13,5 cm
05001064	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05001069	16 mm	11,5 cm
05001070	16 mm	12,5 cm
05001071	16 mm	13,5 cm
05001072	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05001084	16 mm	11,5 cm
05001085	16 mm	12,5 cm
05001086	16 mm	13,5 cm
05001087	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05001073	16 mm	11,5 cm
05001074	16 mm	12,5 cm
05001075	16 mm	13,5 cm
05001076	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001524	16 mm	11,5 cm
05001525	16 mm	12,5 cm
05001526	16 mm	13,5 cm
05001527	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002493	16 mm	11,5 cm
05002494	16 mm	12,5 cm
05002495	16 mm	13,5 cm
05002496	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001508	16 mm	11,5 cm
05001509	16 mm	12,5 cm
05001510	16 mm	13,5 cm
05001511	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001516	16 mm	11,5 cm
05001517	16 mm	12,5 cm
05001518	16 mm	13,5 cm
05001519	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001520	16 mm	11,5 cm
05001521	16 mm	12,5 cm
05001522	16 mm	13,5 cm
05001523	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003327	16 mm	11,5 cm
05003328	16 mm	12,5 cm
05003329	16 mm	13,5 cm
05003330	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003562	16 mm	11,5 cm
05003563	16 mm	12,5 cm
05003564	16 mm	13,5 cm
05003565	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000235	20 mm	11,5 cm
05000236	20 mm	12,5 cm
05000237	20 mm	13,5 cm
05000238	20 mm	14,5 cm





BEVAL



The Beval is a cheekpiece with loose rings featuring two small half rings on the inside, offering the option for slight leverage. The bridle cheekpiece is attached to the top half ring and the reins can be attached either to the large ring or to the lower half ring. This cheekpiece can be ridden with one or two reins.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001724	20 mm	12,5 cm
05001725	20 mm	13,5 cm
05001726	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002040	20 mm	12,5 cm
05002041	20 mm	13,5 cm
05002042	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003593	15 mm	11,5 cm
05003594	15 mm	12,5 cm
05003595	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002166	20 mm	12,5 cm
05002167	20 mm	13,5 cm
05002168	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003020	15 mm	11,5 cm
05003021	15 mm	12,5 cm
05003022	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001977	20 mm	12,5 cm
05001978	20 mm	13,5 cm
05001979	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003023	15 mm	11,5 cm
05003024	15 mm	12,5 cm
05003025	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05001798	16 mm	11,5 cm
05001799	16 mm	12,5 cm
05001800	16 mm	13,5 cm
05001801	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05001786	16 mm	11,5 cm
05001787	16 mm	12,5 cm
05001788	16 mm	13,5 cm
05001789	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05001794	16 mm	11,5 cm
05001795	16 mm	12,5 cm
05001796	16 mm	13,5 cm
05001797	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05001778	16 mm	11,5 cm
05001779	16 mm	12,5 cm
05001780	16 mm	13,5 cm
05001781	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05001782	16 mm	11,5 cm
05001783	16 mm	12,5 cm
05001784	16 mm	13,5 cm
05001785	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001312	16 mm	11,5 cm
05001313	16 mm	12,5 cm
05001314	16 mm	13,5 cm
05001315	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003334	16 mm	11,5 cm
05003335	16 mm	12,5 cm
05003336	16 mm	13,5 cm
05003338	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05001774	16 mm	11,5 cm
05001775	16 mm	12,5 cm
05001776	16 mm	13,5 cm
05001777	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001328	16 mm	11,5 cm
05001329	16 mm	12,5 cm
05001330	16 mm	13,5 cm
05001331	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001320	16 mm	11,5 cm
05001321	16 mm	12,5 cm
05001322	16 mm	13,5 cm
05001323	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003570	16 mm	11,5 cm
05003571	16 mm	12,5 cm
05003572	16 mm	13,5 cm
05003573	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05001790	16 mm	11,5 cm
05001791	16 mm	12,5 cm
05001792	16 mm	13,5 cm
05001793	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002501	16 mm	11,5 cm
05002502	16 mm	12,5 cm
05002503	16 mm	13,5 cm
05002504	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001324	16 mm	11,5 cm
05001325	16 mm	12,5 cm
05001326	16 mm	13,5 cm
05001327	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05001730	20 mm	11,5 cm
05001731	20 mm	12,5 cm
05001732	20 mm	13,5 cm
05001733	20 mm	14,5 cm





SWIVEL



The Swivel is a cheekpiece with loose rings featuring two small half rings on the inside, connected by a vertical rod. The mouthpiece is attached to this rod and swivels up and down for a gag effect. This cheekpiece can be ridden with one or two reins. The swivel cheekpiece is attached to the upper half-ring and the reins can be attached to the large ring or to the lower half-ring. The lower the rein, the greater the leverage effect, the bigger the impact.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001744	20 mm	12,5 cm
05001745	20 mm	13,5 cm
05001746	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002043	20 mm	12,5 cm
05002044	20 mm	13,5 cm
05002045	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003659	15 mm	11,5 cm
05003660	15 mm	12,5 cm
05003661	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002169	20 mm	12,5 cm
05002170	20 mm	13,5 cm
05002171	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003152	15 mm	11,5 cm
05003153	15 mm	12,5 cm
05003154	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001980	20 mm	12,5 cm
05001981	20 mm	13,5 cm
05001982	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003155	15 mm	11,5 cm
05003156	15 mm	12,5 cm
05003157	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05001894	16 mm	11,5 cm
05001895	16 mm	12,5 cm
05001896	16 mm	13,5 cm
05001897	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05001882	16 mm	11,5 cm
05001883	16 mm	12,5 cm
05001884	16 mm	13,5 cm
05001885	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05001890	16 mm	11,5 cm
05001891	16 mm	12,5 cm
05001892	16 mm	13,5 cm
05001893	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05001874	16 mm	11,5 cm
05001875	16 mm	12,5 cm
05001876	16 mm	13,5 cm
05001877	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05001878	16 mm	11,5 cm
05001879	16 mm	12,5 cm
05001880	16 mm	13,5 cm
05001881	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001644	16 mm	11,5 cm
05001645	16 mm	12,5 cm
05001646	16 mm	13,5 cm
05001647	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003339	16 mm	11,5 cm
05003340	16 mm	12,5 cm
05003341	16 mm	13,5 cm
05003342	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05001870	16 mm	11,5 cm
05001871	16 mm	12,5 cm
05001872	16 mm	13,5 cm
05001873	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001660	16 mm	11,5 cm
05001661	16 mm	12,5 cm
05001662	16 mm	13,5 cm
05001663	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001652	16 mm	11,5 cm
05001653	16 mm	12,5 cm
05001654	16 mm	13,5 cm
05001655	16 mm	14,5 cm




SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003508	16 mm	11,5 cm
05003509	16 mm	12,5 cm
05003510	16 mm	13,5 cm
05003574	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05001886	16 mm	11,5 cm
05001887	16 mm	12,5 cm
05001888	16 mm	13,5 cm
05001889	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002505	16 mm	11,5 cm
05002506	16 mm	12,5 cm
05002507	16 mm	13,5 cm
05002508	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001656	16 mm	11,5 cm
05001657	16 mm	12,5 cm
05001658	16 mm	13,5 cm
05001659	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05001750	20 mm	11,5 cm
05001751	20 mm	12,5 cm
05001752	20 mm	13,5 cm
05001753	20 mm	14,5 cm





LOOSE RING LARGE



The Loose Ring Large has loose rings which can move freely through the mouthpiece. Because of this, rein aids are conveyed less directly than when the rings are attached to the mouthpiece. The large rings provide more leverage than a normal loose ring cheekpiece. To prevent skin from getting pinched between the moving rings, it is advised to use rubber bit rings.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05001175	20 mm	12,5 cm
05001176	20 mm	13,5 cm
05001177	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002031	20 mm	12,5 cm
05002032	20 mm	13,5 cm
05002033	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003650	15 mm	11,5 cm
05003651	15 mm	12,5 cm
05003652	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002157	20 mm	12,5 cm
05002158	20 mm	13,5 cm
05002159	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003134	15 mm	11,5 cm
05003135	15 mm	12,5 cm
05003136	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05001968	20 mm	12,5 cm
05001969	20 mm	13,5 cm
05001970	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003137	15 mm	11,5 cm
05003138	15 mm	12,5 cm
05003139	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05000548	16 mm	11,5 cm
05000549	16 mm	12,5 cm
05000550	16 mm	13,5 cm
05000551	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05000552	16 mm	11,5 cm
05000553	16 mm	12,5 cm
05000554	16 mm	13,5 cm
05000555	16 mm	14,5 cm



LOCKED

Art. nr	Thickness	Size
05001178	16 mm	11,5 cm
05001179	16 mm	12,5 cm
05001180	16 mm	13,5 cm
05001181	16 mm	14,5 cm



CHERRY ROLLER

Art. nr	Thickness	Size
05001157	16 mm	11,5 cm
05001158	16 mm	12,5 cm
05001159	16 mm	13,5 cm
05001160	16 mm	14,5 cm



DR. BRISTOL

Art. nr	Thickness	Size
05001161	16 mm	11,5 cm
05001162	16 mm	12,5 cm
05001163	16 mm	13,5 cm
05001164	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05001584	16 mm	11,5 cm
05001585	16 mm	12,5 cm
05001586	16 mm	13,5 cm
05001587	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003286	16 mm	11,5 cm
05003287	16 mm	12,5 cm
05003288	16 mm	13,5 cm
05003289	16 mm	14,5 cm



BRASS RING

Art. nr	Thickness	Size
05000625	16 mm	11,5 cm
05000626	16 mm	12,5 cm
05000627	16 mm	13,5 cm
05000628	16 mm	14,5 cm



WATERFORD

Art. nr	Thickness	Size
05001600	16 mm	11,5 cm
05001601	16 mm	12,5 cm
05001602	16 mm	13,5 cm
05001603	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001592	16 mm	11,5 cm
05001593	16 mm	12,5 cm
05001594	16 mm	13,5 cm
05001595	16 mm	14,5 cm




SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003528	16 mm	11,5 cm
05003529	16 mm	12,5 cm
05003530	16 mm	13,5 cm
05003531	16 mm	14,5 cm



FRENCH LINK

Art. nr	Thickness	Size
05001168	16 mm	11,5 cm
05001169	16 mm	12,5 cm
05001170	16 mm	13,5 cm
05001171	16 mm	14,5 cm



WIDEPORT SEGUNDO

Art. nr	Thickness	Size
05002452	16 mm	11,5 cm
05002453	16 mm	12,5 cm
05002454	16 mm	13,5 cm
05002455	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001596	16 mm	11,5 cm
05001597	16 mm	12,5 cm
05001598	16 mm	13,5 cm
05001599	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05000251	20 mm	11,5 cm
05000252	20 mm	12,5 cm
05000253	20 mm	13,5 cm
05000254	20 mm	14,5 cm





SWALES

BABY SWALES



The Swales is a mix between a double bridle and Pelham. It has the effect of a double bridle but is less complicated. With this cheekpiece, it is best to ride with two reins. Both the bridle cheekpiece and one of the two reins are attached to the large loose ring. This creates the bradoon effect. The second rein is placed on the lower loose ring creating the Weymouth effect. The greater the leverage effect, the bigger the impact.



The Baby Swales is a mix between a double bridle and a Pelham. It has the effect of a double bridle but is less complicated. The Baby Swales cheekpiece has shorter shanks than the normal Swales, with less leverage effect as a result. With this cheekpiece, it is best to use two reins. Both the bridle cheekpiece and one of the two reins are attached to the large loose ring. This creates the bradoon effect. The second rein is placed on the lower loose ring creating the Weymouth effect. The greater the leverage effect, the bigger the impact.

INNO SENSE

INNO SENSE



MULLEN

Art. nr	Thickness	Size
05000094	20 mm	12,5 cm
05000095	20 mm	13,5 cm



PORT HARD

Art. nr	Thickness	Size
05000086	20 mm	12,5 cm
05000087	20 mm	13,5 cm

Mouthpiece	Hardly flexible	Not flexible
Mullen		X
Port Hard	X	



MULLEN

Art. nr	Thickness	Size
05000122	20 mm	12,5 cm
05000123	20 mm	13,5 cm



PORT HARD

Art. nr	Thickness	Size
05000114	20 mm	12,5 cm
05000115	20 mm	13,5 cm

Mouthpiece	Hardly flexible	Not flexible
Mullen		X
Port Hard	X	

SWEET IRON

SWEET IRON



ARCHED

Art. nr	Thickness	Size
05001624	16 mm	11,5 cm
05001625	16 mm	12,5 cm
05001626	16 mm	13,5 cm
05001627	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05001632	16 mm	11,5 cm
05001633	16 mm	12,5 cm
05001634	16 mm	13,5 cm
05001635	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05001636	16 mm	11,5 cm
05001637	16 mm	12,5 cm
05001638	16 mm	13,5 cm
05001639	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05000021	16 mm	11,5 cm
05000022	16 mm	12,5 cm
05000023	16 mm	13,5 cm
05000024	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05000065	16 mm	11,5 cm
05000066	16 mm	12,5 cm
05000067	16 mm	13,5 cm
05000068	16 mm	14,5 cm




MEDIUM PORT

Art. nr	Thickness	Size
05000073	16 mm	11,5 cm
05000074	16 mm	12,5 cm
05000075	16 mm	13,5 cm
05000076	16 mm	14,5 cm





LIVERPOOL MENBIT 2 SLOT NON-FIXED



The Liverpool 2 Slot Non-fixed bit has 2 slots. This cheekpiece is used especially for driving and harnessing. This cheekpiece can move up and down, so rein aids are conveyed less directly than when the rings are fixed. With this cheekpiece, the driver can adjust the leverage effect from nothing to heavy. The lower the reins are placed, the greater the leverage effect, and the bigger the impact. Therefore, the 2-slot cheekpiece has less impact than the 3-slot bit.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002885	20 mm	12,5 cm
05002886	20 mm	13,5 cm
05002887	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002247	20 mm	12,5 cm
05002248	20 mm	13,5 cm
05002249	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003635	15 mm	11,5 cm
05003636	15 mm	12,5 cm
05003637	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002235	20 mm	12,5 cm
05002236	20 mm	13,5 cm
05002237	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003104	15 mm	11,5 cm
05003105	15 mm	12,5 cm
05003106	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002301	20 mm	12,5 cm
05002302	20 mm	13,5 cm
05002303	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003107	15 mm	11,5 cm
05003108	15 mm	12,5 cm
05003109	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05002285	16 mm	11,5 cm
05002286	16 mm	12,5 cm
05002287	16 mm	13,5 cm
05002288	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002293	16 mm	11,5 cm
05002294	16 mm	12,5 cm
05002295	16 mm	13,5 cm
05002296	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05002253	16 mm	11,5 cm
05002254	16 mm	12,5 cm
05002255	16 mm	13,5 cm
05002256	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05002261	16 mm	11,5 cm
05002262	16 mm	12,5 cm
05002263	16 mm	13,5 cm
05002264	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002269	16 mm	11,5 cm
05002270	16 mm	12,5 cm
05002271	16 mm	13,5 cm
05002272	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003511	16 mm	11,5 cm
05003512	16 mm	12,5 cm
05003513	16 mm	13,5 cm
05003514	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003511	16 mm	11,5 cm
05003512	16 mm	12,5 cm
05003513	16 mm	13,5 cm
05003514	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05002413	20 mm	11,5 cm
05002414	20 mm	12,5 cm
05002415	20 mm	13,5 cm
05002416	20 mm	14,5 cm





LIVERPOOL MENBIT 2 SLOT FIXED



The Liverpool 2 Slot Fixed has 2 slots. This cheekpiece is used especially for driving and harnessing. With this cheekpiece, the driver can adjust the leverage effect from nothing to heavy. The lower the reins are placed, the greater the leverage effect, and the bigger the impact. Therefore, the 2-slot cheekpiece has less impact than the 3-slot bit.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002761	20 mm	12,5 cm
05002762	20 mm	13,5 cm
05002763	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002713	20 mm	12,5 cm
05002714	20 mm	13,5 cm
05002715	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002755	20 mm	12,5 cm
05002756	20 mm	13,5 cm
05002757	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002725	20 mm	12,5 cm
05002726	20 mm	13,5 cm
05002727	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003098	15 mm	11,5 cm
05003099	15 mm	12,5 cm
05003100	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003101	15 mm	11,5 cm
05003102	15 mm	12,5 cm
05003103	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003632	15 mm	11,5 cm
05003633	15 mm	12,5 cm
05003634	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



ARCHED

Art. nr	Thickness	Size
05002731	16 mm	11,5 cm
05002732	16 mm	12,5 cm
05002733	16 mm	13,5 cm
05002734	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05002739	16 mm	11,5 cm
05002740	16 mm	12,5 cm
05002741	16 mm	13,5 cm
05002742	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002747	16 mm	11,5 cm
05002748	16 mm	12,5 cm
05002749	16 mm	13,5 cm
05002750	16 mm	14,5 cm



LIVERPOOL MENBIT 3 SLOT FIXED



The Liverpool 3 Slot Fixed has 3 slots. This cheekpiece is used especially for driving and harnessing. With this cheekpiece, the driver can adjust the leverage effect from nothing to heavy. The lower the reins are placed, the greater the leverage effect, and the bigger the impact. Therefore, the 3-slot cheekpiece has a bigger impact than the 2-slot bit.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002764	20 mm	12,5 cm
05002765	20 mm	13,5 cm
05002766	20 mm	14,5 cm



MULLEN

Art. nr	Thickness	Size
05002716	20 mm	12,5 cm
05002717	20 mm	13,5 cm
05002718	20 mm	14,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002758	20 mm	12,5 cm
05002759	20 mm	13,5 cm
05002760	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002728	20 mm	12,5 cm
05002729	20 mm	13,5 cm
05002730	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003110	15 mm	11,5 cm
05003111	15 mm	12,5 cm
05003112	15 mm	13,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003113	15 mm	11,5 cm
05003114	15 mm	12,5 cm
05003115	15 mm	13,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003638	15 mm	11,5 cm
05003639	15 mm	12,5 cm
05003640	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



ARCHED

Art. nr	Thickness	Size
05002735	16 mm	11,5 cm
05002736	16 mm	12,5 cm
05002737	16 mm	13,5 cm
05002738	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05002743	16 mm	11,5 cm
05002744	16 mm	12,5 cm
05002745	16 mm	13,5 cm
05002746	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002751	16 mm	11,5 cm
05002752	16 mm	12,5 cm
05002753	16 mm	13,5 cm
05002754	16 mm	14,5 cm



LIVERPOOL MENBIT 3 SLOT NON-FIXED



The Liverpool 3 Slot Non-Fixed has 3 slots. This cheekpiece is used especially for driving and harnessing. This cheekpiece can move up and down, so rein aids are conveyed less directly than when the rings are fixed. With this cheekpiece, the driver can adjust the leverage effect from nothing to heavy. The lower the reins are placed, the greater the leverage effect, and the bigger the impact. Therefore, the 3-slot cheekpiece has a bigger impact than the 2-slot bit.

INNO SENSE



FLEXI SOFT

Art. nr	Thickness	Size
05002888	20 mm	12,5 cm
05002889	20 mm	13,5 cm
05002890	20 mm	14,5 cm



PORT HARD

Art. nr	Thickness	Size
05002250	20 mm	12,5 cm
05002251	20 mm	13,5 cm
05002252	20 mm	14,5 cm



PORT HARD 'SLIM'

Art. nr	Thickness	Size
05003641	15 mm	11,5 cm
05003642	15 mm	12,5 cm
05003643	15 mm	13,5 cm



MULLEN

Art. nr	Thickness	Size
05002238	20 mm	12,5 cm
05002239	20 mm	13,5 cm
05002240	20 mm	14,5 cm



FLEXI SOFT 'SLIM'

Art. nr	Thickness	Size
05003116	15 mm	11,5 cm
05003117	15 mm	12,5 cm
05003118	15 mm	13,5 cm



PORT MEDIUM

Art. nr	Thickness	Size
05002304	20 mm	12,5 cm
05002305	20 mm	13,5 cm
05002306	20 mm	14,5 cm



PORT MEDIUM 'SLIM'

Art. nr	Thickness	Size
05003119	15 mm	11,5 cm
05003120	15 mm	12,5 cm
05003121	15 mm	13,5 cm

Mouthpiece	Flexible	Slightly flexible	Hardly flexible	Not flexible
Flexi Soft	X			
Mullen				X
Port Medium		X		
Port Hard			X	

SWEET IRON



SINGLE JOINTED

Art. nr	Thickness	Size
05002289	16 mm	11,5 cm
05002290	16 mm	12,5 cm
05002291	16 mm	13,5 cm
05002292	16 mm	14,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002297	16 mm	11,5 cm
05002298	16 mm	12,5 cm
05002299	16 mm	13,5 cm
05002300	16 mm	14,5 cm



ARCHED

Art. nr	Thickness	Size
05002257	16 mm	11,5 cm
05002258	16 mm	12,5 cm
05002259	16 mm	13,5 cm
05002260	16 mm	14,5 cm



LOW PORT

Art. nr	Thickness	Size
05002265	16 mm	11,5 cm
05002266	16 mm	12,5 cm
05002267	16 mm	13,5 cm
05002268	16 mm	14,5 cm



SLOW TWIST

Art. nr	Thickness	Size
05003515	16 mm	11,5 cm
05003516	16 mm	12,5 cm
05003517	16 mm	13,5 cm
05003519	16 mm	14,5 cm



MEDIUM PORT

Art. nr	Thickness	Size
05002273	16 mm	11,5 cm
05002274	16 mm	12,5 cm
05002275	16 mm	13,5 cm
05002276	16 mm	14,5 cm



SLOW TWIST LOCKED

Art. nr	Thickness	Size
05003515	16 mm	11,5 cm
05003516	16 mm	12,5 cm
05003517	16 mm	13,5 cm
05003519	16 mm	14,5 cm

LEATHER



LEATHER

Art. nr	Thickness	Size
05002417	20 mm	11,5 cm
05002418	20 mm	12,5 cm
05002419	20 mm	13,5 cm
05002420	20 mm	14,5 cm





HACKAMORE + ACCESSORIES



The Hackamore is used for bitless riding, has a leverage effect and mainly puts pressure on the nose and lower jaw. When rein pressure is increased, the space between the nose and curb strap becomes smaller, resulting in more pressure on the nose. The shanks create a leverage effect. The greater the leverage effect, the bigger the impact.

HACKAMORE TP




HACKAMORE TP

Art. nr

05000000

ACCESSORIES



TONGLEPEL TP

Art. nr

01013485



KINKETTING

Art. nr

01013243



KINKETTING HAKEN

Art. nr

01013445



PELHAM STRAP

Art. nr	Lengte	Kleur
01006004	Kort	Bruin
01006005	Kort	Zwawrt
01006006	Lang	Bruin
01006007	Lang	Zwart



BITRINGEN

Art. nr	Size	Size
01013443	7 cm	Klein



STRAP PERLON + SHRINKTUBE

Art. nr	Size	kleur
01100041	47 cm	Zwart



GAG ROPES

Art. nr	Size	Kleur
01000226	One size	Brown
01000227	One size	Black



CURB GAG ROPES

Art. nr	Size
01013425	Curbgag rope (+leather)
01013492	Curbgag rope (+leather) Extra Large





PONY BIT



LOOSE RING

The TRUST Pony collection. An anatomically shaped bit with a perfect fit for the small pony mouth. This bit series has been developed in collaboration with pony riders, offering new sizes, thinner mouthpieces and smaller cheekpieces. The bits are available in sizes 9.5, 10.5 and 11.5.



SINGLE JOINTED

Art. nr	Thickness	Size
05002680	12 mm	9,5 mm
05002681	12 mm	10,5 mm
05002682	12 mm	11,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002698	12 mm	9,5 mm
05002699	12 mm	10,5 mm
05002700	12 mm	11,5 cm



LOCKED

Art. nr	Thickness	Size
05002788	12 mm	9,5 mm
05002789	12 mm	10,5 mm
05002790	12 mm	11,5 cm

EGGBUT



SINGLE JOINTED

Art. nr	Thickness	Size
05002671	12 mm	9,5 mm
05002672	12 mm	10,5 mm
05002673	12 mm	11,5 cm



ELLIPTICAL


Art. nr	Thickness	Size
05002689	12 mm	9,5 mm
05002690	12 mm	10,5 mm
05002691	12 mm	11,5 cm



LOCKED

Art. nr	Thickness	Size
05002779	12 mm	9,5 mm
05002780	12 mm	10,5 mm
05002781	12 mm	11,5 cm

FULL CHEEK



SINGLE JOINTED

Art. nr	Thickness	Size
05002674	12 mm	9,5 mm
05002675	12 mm	10,5 mm
05002676	12 mm	11,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002692	12 mm	9,5 mm
05002693	12 mm	10,5 mm
05002694	12 mm	11,5 cm



LOCKED

Art. nr	Thickness	Size
05002782	12 mm	9,5 mm
05002783	12 mm	10,5 mm
05002784	12 mm	11,5 cm

3 RING



SINGLE JOINTED

Art. nr	Thickness	Size
05002686	12 mm	9,5 mm
05002687	12 mm	10,5 mm
05002688	12 mm	11,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002704	12 mm	9,5 mm
05002705	12 mm	10,5 mm
05002706	12 mm	11,5 cm



LOCKED

Art. nr	Thickness	Size
05002794	12 mm	9,5 mm
05002795	12 mm	10,5 mm
05002796	12 mm	11,5 cm

PELHAM



SINGLE JOINTED

Art. nr	Thickness	Size
05002683	12 mm	9,5 mm
05002684	12 mm	10,5 mm
05002685	12 mm	11,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002701	12 mm	9,5 mm
05002702	12 mm	10,5 mm
05002703	12 mm	11,5 cm



LOCKED

Art. nr	Thickness	Size
05002791	12 mm	9,5 mm
05002792	12 mm	10,5 mm
05002793	12 mm	11,5 cm

BAUCHER BIT



SINGLE JOINTED

Art. nr	Thickness	Size
05002677	12 mm	9,5 mm
05002678	12 mm	10,5 mm
05002679	12 mm	11,5 cm



ELLIPTICAL

Art. nr	Thickness	Size
05002695	12 mm	9,5 mm
05002696	12 mm	10,5 mm
05002697	12 mm	11,5 cm



LOCKED

Art. nr	Thickness	Size
05002785	12 mm	9,5 mm
05002786	12 mm	10,5 mm
05002787	12 mm	11,5 cm





Misprints and printing errors reserved



TRUST
equestrian

